



Target Species

Based on 11,531 complete checklists

310 species observed in North Dakota, US (region/US-ND) in **Aug** that you need for your **World Life List**

1. Mourning Dove	57.42% frequency
2. American Goldfinch	49.39%
3. American Robin	41.68%
4. Barn Swallow	34.90%
5. Black-capped Chickadee	30.81%
6. Eastern Kingbird	30.49%
7. Yellow Warbler	26.75%
8. Chipping Sparrow	25.67%
9. Killdeer	25.11%
10. Song Sparrow	24.89%
11. Cedar Waxwing	24.03%
12. Mallard	23.65%
13. White-breasted Nuthatch	22.25%
14. House Sparrow	22.18%
15. Ring-billed Gull	21.41%
16. Canada Goose	21.24%
17. Red-winged Blackbird	20.77%

18. American Crow	19.94%
19. Northern Flicker	19.54%
20. Downy Woodpecker	19.42%
21. Gray Catbird	18.77%
22. Red-tailed Hawk	17.58%
23. Blue-winged Teal	17.42%
24. House Wren	17.39%
25. House Finch	16.55%
26. Blue Jay	15.97%
27. Common Grackle	15.82%
28. Least Flycatcher	15.63%
29. Red-eyed Vireo	14.81%
30. Franklin's Gull	14.42%
31. Double-crested Cormorant	14.29%
32. Hairy Woodpecker	14.19%
33. American White Pelican	14.16%
34. Western Meadowlark	13.53%
35. Great Blue Heron	12.63%
36. Eurasian Collared-Dove	12.60%
37. American Redstart	12.34%
38. Lesser Yellowlegs	12.18%
39. Ruby-throated Hummingbird	11.90%
40. Western Kingbird	11.79%

41. American Coot	11.22%
42. Wood Duck	10.50%
43. Rock Pigeon	10.25%
44. Northern Shoveler	9.98%
45. European Starling	9.90%
46. Spotted Sandpiper	9.68%
47. Clay-colored Sparrow	9.23%
48. Warbling Vireo	9.11%
49. Gadwall	8.85%
50. Red-breasted Nuthatch	8.76%
51. Common Yellowthroat	8.75%
52. Turkey Vulture	8.74%
53. Least Sandpiper	8.72%
54. Belted Kingfisher	8.59%
55. Black Tern	8.52%
56. Baltimore Oriole	8.39%
57. Black-and-white Warbler	8.34%
58. Greater Yellowlegs	8.30%
59. Northern Harrier	8.25%
60. Yellow-headed Blackbird	8.22%
61. Tree Swallow	8.10%
62. Pied-billed Grebe	8.07%
63. Swainson's Hawk	8.02%

64. Eastern Wood-Pewee	7.87%
65. Bank Swallow	7.67%
66. Purple Martin	7.52%
67. Cliff Swallow	7.30%
68. Cooper's Hawk	7.27%
69. Pectoral Sandpiper	7.23%
70. Rose-breasted Grosbeak	7.15%
71. Ruddy Duck	7.09%
72. Common Nighthawk	6.97%
73. Chimney Swift	6.89%
74. Semipalmated Sandpiper	6.76%
75. Ring-necked Pheasant	6.59%
76. Wilson's Phalarope	6.06%
77. American Avocet	6.05%
78. Wilson's Warbler	6.00%
79. Eared Grebe	5.89%
80. Bald Eagle	5.87%
81. Horned Lark	5.85%
82. Baird's Sandpiper	5.84%
83. Vesper Sparrow	5.84%
84. Spotted Towhee	5.63%
85. Savannah Sparrow	5.46%
86. Brown Thrasher	5.43%

87. Northern Pintail	5.32%
88. Brown-headed Cowbird	5.17%
89. Sora	5.00%
90. Lark Sparrow	5.00%
91. American Kestrel	4.92%
92. Marsh Wren	4.73%
93. Tennessee Warbler	4.70%
94. Redhead	4.56%
95. Western Grebe	4.51%
96. Stilt Sandpiper	4.42%
97. Green-winged Teal	4.26%
98. White-faced Ibis	4.21%
99. Semipalmated Plover	4.19%
100. Great Egret	4.15%
101. Canvasback	4.10%
102. Great Crested Flycatcher	4.07%
103. Orchard Oriole	3.89%
104. Forster's Tern	3.74%
105. Solitary Sandpiper	3.69%
106. Willet	3.62%
107. Yellow-bellied Sapsucker	3.57%
108. Northern Cardinal	3.55%
109. Northern Waterthrush	3.49%

110. Say's Phoebe	3.47%
111. Bobolink	3.45%
112. Brewer's Blackbird	3.36%
113. Sedge Wren	3.33%
114. Grasshopper Sparrow	3.22%
115. Red-headed Woodpecker	3.20%
116. Ovenbird	3.18%
117. Olive-sided Flycatcher	3.17%
118. Upland Sandpiper	3.15%
119. Eastern Phoebe	3.09%
120. Long-billed Dowitcher	3.00%
121. Eastern Bluebird	2.97%
122. Merlin	2.93%
123. Marbled Godwit	2.88%
124. Lazuli Bunting	2.84%
125. Chestnut-sided Warbler	2.84%
126. American Wigeon	2.81%
127. Field Sparrow	2.74%
128. Hooded Merganser	2.67%
129. Canada Warbler	2.61%
130. Mourning Warbler	2.44%
131. Wilson's Snipe	2.39%
132. Red-necked Phalarope	2.39%

133. Wild Turkey	2.35%
134. Pine Siskin	2.33%
135. Black-crowned Night Heron	2.18%
136. Magnolia Warbler	2.13%
137. Yellow-throated Vireo	2.06%
138. Black-billed Magpie	2.02%
139. Sharp-tailed Grouse	2.01%
140. California Gull	1.99%
141. Lesser Scaup	1.92%
142. Nashville Warbler	1.91%
143. Willow Flycatcher	1.79%
144. Western Wood-Pewee	1.78%
145. Great Horned Owl	1.67%
146. Blackburnian Warbler	1.67%
147. Green Heron	1.66%
148. Black-bellied Plover	1.63%
149. Short-billed Dowitcher	1.63%
150. Sanderling	1.60%
151. Swainson's Thrush	1.54%
152. Blue-headed Vireo	1.50%
153. Black-headed Grosbeak	1.50%
154. Pileated Woodpecker	1.48%
155. Indigo Bunting	1.46%

156. Mountain Bluebird	1.43%
157. Chestnut-collared Longspur	1.43%
158. Red-bellied Woodpecker	1.40%
159. Purple Finch	1.38%
160. Yellow-bellied Flycatcher	1.34%
161. Alder Flycatcher	1.32%
162. Gray Partridge	1.31%
163. Red-necked Grebe	1.25%
164. Yellow-breasted Chat	1.15%
165. American Bittern	1.12%
166. Common Raven	1.11%
167. Lark Bunting	1.11%
168. Rock Wren	1.09%
169. Common Tern	1.08%
170. Philadelphia Vireo	1.08%
171. Loggerhead Shrike	1.08%
172. Northern Rough-winged Swallow	1.07%
173. Buff-breasted Sandpiper	1.01%
174. Bufflehead	0.9973%
175. Peregrine Falcon	0.9539%
176. Prairie Falcon	0.9453%
177. Red Crossbill	0.9366%
178. Caspian Tern	0.9279%

179. Baird's Sparrow	0.8586%
180. Swamp Sparrow	0.8499%
181. Virginia Rail	0.8152%
182. Dickcissel	0.8152%
183. Golden Eagle	0.8065%
184. Blackpoll Warbler	0.8065%
185. Ferruginous Hawk	0.7718%
186. Sprague's Pipit	0.7718%
187. Trumpeter Swan	0.7371%
188. Hudsonian Godwit	0.7198%
189. Orange-crowned Warbler	0.6851%
190. LeConte's Sparrow	0.6764%
191. Snowy Egret	0.6504%
192. Osprey	0.6504%
193. Yellow-rumped Warbler	0.6504%
194. Ring-necked Duck	0.6157%
195. Bonaparte's Gull	0.6071%
196. Broad-winged Hawk	0.6071%
197. Lincoln's Sparrow	0.6071%
198. Snow Goose	0.5810%
199. Western Cattle Egret	0.5810%
200. Horned Grebe	0.5550%
201. Burrowing Owl	0.5290%

202.	Bay-breasted Warbler	0.5290%
203.	Common Loon	0.5203%
204.	Nelson's Sparrow	0.5203%
205.	Veery	0.4423%
206.	Herring Gull	0.4076%
207.	Sharp-shinned Hawk	0.3642%
208.	American Golden-Plover	0.3295%
209.	Ruddy Turnstone	0.3122%
210.	White-throated Sparrow	0.3122%
211.	Yellow Rail	0.3035%
212.	Piping Plover	0.2949%
213.	Sandhill Crane	0.2602%
214.	Black-billed Cuckoo	0.2515%
215.	Scarlet Tanager	0.2515%
216.	Ruby-crowned Kinglet	0.2342%
217.	Clark's Grebe	0.2255%
218.	Least Tern	0.2168%
219.	American Black Duck	0.2081%
220.	Yellow-crowned Night Heron	0.2081%
221.	Short-eared Owl	0.2081%
222.	Blue Grosbeak	0.1995%
223.	Common Goldeneye	0.1734%
224.	Eastern Screech-Owl	0.1561%

225. Common Poorwill	0.1474%
226. Black-necked Stilt	0.1474%
227. Black-throated Green Warbler	0.1388%
228. Greater White-fronted Goose	0.1301%
229. Least Bittern	0.1214%
230. Calliope Hummingbird	0.1127%
231. Cape May Warbler	0.1127%
232. Rufous Hummingbird	0.1041%
233. Violet-green Swallow	0.1041%
234. Brown Creeper	0.1041%
235. Bullock's Oriole	0.1041%
236. Red Knot	0.0954%
237. Eastern Towhee	0.0781%
238. Yellow-billed Cuckoo	0.0694%
239. Dunlin	0.0694%
240. Glossy Ibis	0.0694%
241. Bell's Vireo	0.0694%
242. Blue-gray Gnatcatcher	0.0694%
243. Eurasian Tree Sparrow	0.0694%
244. Broad-tailed Hummingbird	0.0607%
245. Barred Owl	0.0607%
246. Ruffed Grouse	0.0520%
247. Northern Parula	0.0520%

248. Common Merganser	0.0434%
249. Long-billed Curlew	0.0434%
250. Red Phalarope	0.0434%
251. Parasitic Jaeger	0.0434%
252. Golden-winged Warbler	0.0434%
253. Black-throated Blue Warbler	0.0434%
254. Palm Warbler	0.0434%
255. Tundra Swan	0.0347%
256. Long-eared Owl	0.0347%
257. Connecticut Warbler	0.0347%
258. Townsend's Warbler	0.0347%
259. Greater Prairie-Chicken	0.0260%
260. White-eyed Vireo	0.0260%
261. Gray-cheeked Thrush	0.0260%
262. Cackling Goose	0.0173%
263. American Woodcock	0.0173%
264. White-rumped Sandpiper	0.0173%
265. Red-shouldered Hawk	0.0173%
266. Rough-legged Hawk	0.0173%
267. Dark-eyed Junco	0.0173%
268. Western Tanager	0.0173%
269. Fulvous Whistling-Duck	0.0087%
270. Cinnamon Teal	0.0087%

271. White-winged Dove	0.0087%
272. Eastern Whip-poor-will	0.0087%
273. Common Gallinule	0.0087%
274. Curlew Sandpiper	0.0087%
275. Western Sandpiper	0.0087%
276. Little Gull	0.0087%
277. Lesser Black-backed Gull	0.0087%
278. Little Blue Heron	0.0087%
279. Barn Owl	0.0087%
280. Snowy Owl	0.0087%
281. Northern Saw-whet Owl	0.0087%
282. Cassin's Vireo	0.0087%
283. Plumbeous Vireo	0.0087%
284. Carolina Wren	0.0087%
285. Northern Mockingbird	0.0087%
286. Townsend's Solitaire	0.0087%
287. White-winged Crossbill	0.0087%
288. Brewer's Sparrow	0.0087%
289. White-crowned Sparrow	0.0087%
290. Harris's Sparrow	0.0087%
291. Henslow's Sparrow	0.0087%
292. MacGillivray's Warbler	0.0087%
293. Pine Warbler	0.0087%

294. Greater Scaup	0.0000%
295. Surf Scoter	0.0000%
296. White-winged Scoter	0.0000%
297. Greater Sage-Grouse	0.0000%
298. Snowy Plover	0.0000%
299. Ruff	0.0000%
300. Long-tailed Jaeger	0.0000%
301. Sabine's Gull	0.0000%
302. Swallow-tailed Kite	0.0000%
303. Lewis's Woodpecker	0.0000%
304. Scissor-tailed Flycatcher	0.0000%
305. Thick-billed Longspur	0.0000%
306. Fox Sparrow	0.0000%
307. Rusty Blackbird	0.0000%
308. Blue-winged Warbler	0.0000%
309. Yellow-throated Warbler	0.0000%
310. Black-throated Gray Warbler	0.0000%
EXOTIC: ESCAPEE	
Chukar	0.1214% frequency
Mute Swan	0.0434%
Northern Bobwhite	0.0260%
Helmeted Guineafowl	0.0087%
Red-cheeked Cordonbleu	0.0000%

HYBRIDS

Lazuli x Indigo Bunting (hybrid)	0.0260% frequency
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0173%
Mallard x American Black Duck (hybrid)	0.0087%
Western x Clark's Grebe (hybrid)	0.0087%
Bullock's x Baltimore Oriole (hybrid)	0.0087%
