



Target Species

Based on 11,531 complete checklists

310 species observed in North Dakota, US (region/US-ND) in Aug that you need for your **World Life List**

1. Fulvous Whistling-Duck	0.0087% frequency
2. Snow Goose	0.5810%
3. Greater White-fronted Goose	0.1301%
4. Cackling Goose	0.0173%
5. Canada Goose	21.24%
6. Trumpeter Swan	0.7371%
7. Tundra Swan	0.0347%
8. Wood Duck	10.50%
9. Blue-winged Teal	17.42%
10. Cinnamon Teal	0.0087%
11. Northern Shoveler	9.98%
12. Gadwall	8.85%
13. American Wigeon	2.81%
14. Mallard	23.65%
15. American Black Duck	0.2081%
16. Northern Pintail	5.32%
17. Green-winged Teal	4.26%

18. Canvasback	4.10%
19. Redhead	4.56%
20. Ring-necked Duck	0.6157%
21. Greater Scaup	0.0000%
22. Lesser Scaup	1.92%
23. Surf Scoter	0.0000%
24. White-winged Scoter	0.0000%
25. Bufflehead	0.9973%
26. Common Goldeneye	0.1734%
27. Hooded Merganser	2.67%
28. Common Merganser	0.0434%
29. Ruddy Duck	7.09%
30. Wild Turkey	2.35%
31. Ruffed Grouse	0.0520%
32. Greater Sage-Grouse	0.0000%
33. Sharp-tailed Grouse	2.01%
34. Greater Prairie-Chicken	0.0260%
35. Gray Partridge	1.31%
36. Ring-necked Pheasant	6.59%
37. Pied-billed Grebe	8.07%
38. Horned Grebe	0.5550%
39. Red-necked Grebe	1.25%
40. Eared Grebe	5.89%

41. Western Grebe	4.51%
42. Clark's Grebe	0.2255%
43. Rock Pigeon	10.25%
44. Eurasian Collared-Dove	12.60%
45. White-winged Dove	0.0087%
46. Mourning Dove	57.42%
47. Yellow-billed Cuckoo	0.0694%
48. Black-billed Cuckoo	0.2515%
49. Common Nighthawk	6.97%
50. Common Poorwill	0.1474%
51. Eastern Whip-poor-will	0.0087%
52. Chimney Swift	6.89%
53. Ruby-throated Hummingbird	11.90%
54. Calliope Hummingbird	0.1127%
55. Rufous Hummingbird	0.1041%
56. Broad-tailed Hummingbird	0.0607%
57. Virginia Rail	0.8152%
58. Sora	5.00%
59. Common Gallinule	0.0087%
60. American Coot	11.22%
61. Yellow Rail	0.3035%
62. Sandhill Crane	0.2602%
63. Black-necked Stilt	0.1474%

64. American Avocet	6.05%
65. Black-bellied Plover	1.63%
66. American Golden-Plover	0.3295%
67. Killdeer	25.11%
68. Semipalmated Plover	4.19%
69. Piping Plover	0.2949%
70. Snowy Plover	0.0000%
71. Upland Sandpiper	3.15%
72. Long-billed Curlew	0.0434%
73. Hudsonian Godwit	0.7198%
74. Marbled Godwit	2.88%
75. Short-billed Dowitcher	1.63%
76. Long-billed Dowitcher	3.00%
77. American Woodcock	0.0173%
78. Wilson's Snipe	2.39%
79. Wilson's Phalarope	6.06%
80. Red Phalarope	0.0434%
81. Red-necked Phalarope	2.39%
82. Spotted Sandpiper	9.68%
83. Solitary Sandpiper	3.69%
84. Lesser Yellowlegs	12.18%
85. Willet	3.62%
86. Greater Yellowlegs	8.30%

87. Ruddy Turnstone	0.3122%
88. Red Knot	0.0954%
89. Ruff	0.0000%
90. Curlew Sandpiper	0.0087%
91. Stilt Sandpiper	4.42%
92. Buff-breasted Sandpiper	1.01%
93. Sanderling	1.60%
94. Dunlin	0.0694%
95. Baird's Sandpiper	5.84%
96. White-rumped Sandpiper	0.0173%
97. Least Sandpiper	8.72%
98. Pectoral Sandpiper	7.23%
99. Western Sandpiper	0.0087%
100. Semipalmated Sandpiper	6.76%
101. Long-tailed Jaeger	0.0000%
102. Parasitic Jaeger	0.0434%
103. Little Gull	0.0087%
104. Sabine's Gull	0.0000%
105. Bonaparte's Gull	0.6071%
106. Franklin's Gull	14.42%
107. Ring-billed Gull	21.41%
108. Herring Gull	0.4076%
109. Lesser Black-backed Gull	0.0087%

110. California Gull	1.99%
111. Least Tern	0.2168%
112. Caspian Tern	0.9279%
113. Black Tern	8.52%
114. Forster's Tern	3.74%
115. Common Tern	1.08%
116. Common Loon	0.5203%
117. Double-crested Cormorant	14.29%
118. American White Pelican	14.16%
119. American Bittern	1.12%
120. Least Bittern	0.1214%
121. Yellow-crowned Night Heron	0.2081%
122. Black-crowned Night Heron	2.18%
123. Little Blue Heron	0.0087%
124. Snowy Egret	0.6504%
125. Green Heron	1.66%
126. Western Cattle Egret	0.5810%
127. Great Egret	4.15%
128. Great Blue Heron	12.63%
129. Glossy Ibis	0.0694%
130. White-faced Ibis	4.21%
131. Turkey Vulture	8.74%
132. Osprey	0.6504%

133. Swallow-tailed Kite	0.0000%
134. Golden Eagle	0.8065%
135. Northern Harrier	8.25%
136. Sharp-shinned Hawk	0.3642%
137. Cooper's Hawk	7.27%
138. Bald Eagle	5.87%
139. Red-shouldered Hawk	0.0173%
140. Broad-winged Hawk	0.6071%
141. Swainson's Hawk	8.02%
142. Red-tailed Hawk	17.58%
143. Rough-legged Hawk	0.0173%
144. Ferruginous Hawk	0.7718%
145. Barn Owl	0.0087%
146. Eastern Screech-Owl	0.1561%
147. Snowy Owl	0.0087%
148. Great Horned Owl	1.67%
149. Burrowing Owl	0.5290%
150. Barred Owl	0.0607%
151. Long-eared Owl	0.0347%
152. Short-eared Owl	0.2081%
153. Northern Saw-whet Owl	0.0087%
154. Belted Kingfisher	8.59%
155. Yellow-bellied Sapsucker	3.57%

156. Lewis's Woodpecker	0.0000%
157. Red-headed Woodpecker	3.20%
158. Red-bellied Woodpecker	1.40%
159. Downy Woodpecker	19.42%
160. Hairy Woodpecker	14.19%
161. Pileated Woodpecker	1.48%
162. Northern Flicker	19.54%
163. American Kestrel	4.92%
164. Merlin	2.93%
165. Peregrine Falcon	0.9539%
166. Prairie Falcon	0.9453%
167. Olive-sided Flycatcher	3.17%
168. Western Wood-Pewee	1.78%
169. Eastern Wood-Pewee	7.87%
170. Yellow-bellied Flycatcher	1.34%
171. Alder Flycatcher	1.32%
172. Willow Flycatcher	1.79%
173. Least Flycatcher	15.63%
174. Eastern Phoebe	3.09%
175. Say's Phoebe	3.47%
176. Great Crested Flycatcher	4.07%
177. Western Kingbird	11.79%
178. Eastern Kingbird	30.49%

179. Scissor-tailed Flycatcher	0.0000%
180. White-eyed Vireo	0.0260%
181. Bell's Vireo	0.0694%
182. Yellow-throated Vireo	2.06%
183. Cassin's Vireo	0.0087%
184. Blue-headed Vireo	1.50%
185. Plumbeous Vireo	0.0087%
186. Philadelphia Vireo	1.08%
187. Warbling Vireo	9.11%
188. Red-eyed Vireo	14.81%
189. Loggerhead Shrike	1.08%
190. Blue Jay	15.97%
191. Black-billed Magpie	2.02%
192. American Crow	19.94%
193. Common Raven	1.11%
194. Black-capped Chickadee	30.81%
195. Horned Lark	5.85%
196. Bank Swallow	7.67%
197. Tree Swallow	8.10%
198. Violet-green Swallow	0.1041%
199. Purple Martin	7.52%
200. Northern Rough-winged Swallow	1.07%
201. Barn Swallow	34.90%

202. Cliff Swallow	7.30%
203. Ruby-crowned Kinglet	0.2342%
204. White-breasted Nuthatch	22.25%
205. Red-breasted Nuthatch	8.76%
206. Brown Creeper	0.1041%
207. Blue-gray Gnatcatcher	0.0694%
208. Rock Wren	1.09%
209. House Wren	17.39%
210. Sedge Wren	3.33%
211. Marsh Wren	4.73%
212. Carolina Wren	0.0087%
213. European Starling	9.90%
214. Gray Catbird	18.77%
215. Brown Thrasher	5.43%
216. Northern Mockingbird	0.0087%
217. Eastern Bluebird	2.97%
218. Mountain Bluebird	1.43%
219. Townsend's Solitaire	0.0087%
220. Veery	0.4423%
221. Gray-cheeked Thrush	0.0260%
222. Swainson's Thrush	1.54%
223. American Robin	41.68%
224. Cedar Waxwing	24.03%

225. House Sparrow	22.18%
226. Eurasian Tree Sparrow	0.0694%
227. Sprague's Pipit	0.7718%
228. House Finch	16.55%
229. Purple Finch	1.38%
230. Red Crossbill	0.9366%
231. White-winged Crossbill	0.0087%
232. Pine Siskin	2.33%
233. American Goldfinch	49.39%
234. Chestnut-collared Longspur	1.43%
235. Thick-billed Longspur	0.0000%
236. Grasshopper Sparrow	3.22%
237. Chipping Sparrow	25.67%
238. Clay-colored Sparrow	9.23%
239. Field Sparrow	2.74%
240. Brewer's Sparrow	0.0087%
241. Lark Sparrow	5.00%
242. Lark Bunting	1.11%
243. Fox Sparrow	0.0000%
244. Dark-eyed Junco	0.0173%
245. White-crowned Sparrow	0.0087%
246. Harris's Sparrow	0.0087%
247. White-throated Sparrow	0.3122%

248. Vesper Sparrow	5.84%
249. LeConte's Sparrow	0.6764%
250. Nelson's Sparrow	0.5203%
251. Savannah Sparrow	5.46%
252. Baird's Sparrow	0.8586%
253. Henslow's Sparrow	0.0087%
254. Song Sparrow	24.89%
255. Lincoln's Sparrow	0.6071%
256. Swamp Sparrow	0.8499%
257. Spotted Towhee	5.63%
258. Eastern Towhee	0.0781%
259. Yellow-breasted Chat	1.15%
260. Yellow-headed Blackbird	8.22%
261. Bobolink	3.45%
262. Western Meadowlark	13.53%
263. Orchard Oriole	3.89%
264. Bullock's Oriole	0.1041%
265. Baltimore Oriole	8.39%
266. Red-winged Blackbird	20.77%
267. Brown-headed Cowbird	5.17%
268. Rusty Blackbird	0.0000%
269. Brewer's Blackbird	3.36%
270. Common Grackle	15.82%

271. Ovenbird	3.18%
272. Northern Waterthrush	3.49%
273. Golden-winged Warbler	0.0434%
274. Blue-winged Warbler	0.0000%
275. Black-and-white Warbler	8.34%
276. Tennessee Warbler	4.70%
277. Orange-crowned Warbler	0.6851%
278. Nashville Warbler	1.91%
279. Connecticut Warbler	0.0347%
280. MacGillivray's Warbler	0.0087%
281. Mourning Warbler	2.44%
282. Common Yellowthroat	8.75%
283. American Redstart	12.34%
284. Cape May Warbler	0.1127%
285. Northern Parula	0.0520%
286. Magnolia Warbler	2.13%
287. Bay-breasted Warbler	0.5290%
288. Blackburnian Warbler	1.67%
289. Yellow Warbler	26.75%
290. Chestnut-sided Warbler	2.84%
291. Blackpoll Warbler	0.8065%
292. Black-throated Blue Warbler	0.0434%
293. Palm Warbler	0.0434%

294. Pine Warbler	0.0087%
295. Yellow-rumped Warbler	0.6504%
296. Yellow-throated Warbler	0.0000%
297. Black-throated Gray Warbler	0.0000%
298. Townsend's Warbler	0.0347%
299. Black-throated Green Warbler	0.1388%
300. Canada Warbler	2.61%
301. Wilson's Warbler	6.00%
302. Scarlet Tanager	0.2515%
303. Western Tanager	0.0173%
304. Northern Cardinal	3.55%
305. Rose-breasted Grosbeak	7.15%
306. Black-headed Grosbeak	1.50%
307. Blue Grosbeak	0.1995%
308. Lazuli Bunting	2.84%
309. Indigo Bunting	1.46%
310. Dickcissel	0.8152%
EXOTIC: ESCAPEE	
Mute Swan	0.0434% frequency
Helmeted Guineafowl	0.0087%
Northern Bobwhite	0.0260%
Chukar	0.1214%
Red-cheeked Cordonbleu	0.0000%

HYBRIDS

Mallard x American Black Duck (hybrid)	0.0087% frequency
Western x Clark's Grebe (hybrid)	0.0087%
Bullock's x Baltimore Oriole (hybrid)	0.0087%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0173%
Lazuli x Indigo Bunting (hybrid)	0.0260%
