



Target Species

Based on 13,660 complete checklists

289 species observed in North Dakota, US (region/US-ND) in Jul that you need for your **World Life List**

1. Black-bellied Whistling-Duck	0.0000% frequency
2. Fulvous Whistling-Duck	0.0073%
3. Snow Goose	0.6735%
4. Ross's Goose	0.0073%
5. Greater White-fronted Goose	0.0878%
6. Canada Goose	16.68%
7. Trumpeter Swan	0.4832%
8. Tundra Swan	0.1318%
9. Wood Duck	6.25%
10. Blue-winged Teal	14.10%
11. Cinnamon Teal	0.0366%
12. Northern Shoveler	8.40%
13. Gadwall	11.26%
14. American Wigeon	3.32%
15. Mallard	22.92%
16. American Black Duck	0.1318%
17. Northern Pintail	5.91%
18. Green-winged Teal	3.81%

19. Canvasback	4.87%
20. Redhead	7.27%
21. Ring-necked Duck	1.77%
22. Greater Scaup	0.0000%
23. Lesser Scaup	4.81%
24. Black Scoter	0.0000%
25. Bufflehead	1.86%
26. Common Goldeneye	0.1464%
27. Hooded Merganser	2.61%
28. Common Merganser	0.0512%
29. Red-breasted Merganser	0.0146%
30. Ruddy Duck	10.51%
31. Wild Turkey	2.20%
32. Ruffed Grouse	0.0659%
33. Greater Sage-Grouse	0.0293%
34. Sharp-tailed Grouse	3.36%
35. Greater Prairie-Chicken	0.0512%
36. Gray Partridge	1.65%
37. Ring-necked Pheasant	12.88%
38. Pied-billed Grebe	7.47%
39. Horned Grebe	0.6369%
40. Red-necked Grebe	2.27%
41. Eared Grebe	7.61%

42. Western Grebe	6.38%
43. Clark's Grebe	0.4100%
44. Rock Pigeon	8.21%
45. Band-tailed Pigeon	0.0878%
46. Eurasian Collared-Dove	8.74%
47. White-winged Dove	0.0146%
48. Mourning Dove	55.58%
49. Yellow-billed Cuckoo	0.0952%
50. Black-billed Cuckoo	0.8126%
51. Common Nighthawk	5.42%
52. Common Poorwill	0.2123%
53. Eastern Whip-poor-will	0.0366%
54. Chimney Swift	4.97%
55. Ruby-throated Hummingbird	2.04%
56. Calliope Hummingbird	0.0293%
57. Rufous Hummingbird	0.0293%
58. Virginia Rail	1.77%
59. Sora	9.25%
60. American Coot	12.39%
61. Yellow Rail	0.3807%
62. Sandhill Crane	0.1391%
63. Black-necked Stilt	0.3733%
64. American Avocet	7.13%

65. Black-bellied Plover	0.2343%
66. American Golden-Plover	0.0586%
67. Killdeer	35.76%
68. Semipalmated Plover	2.23%
69. Piping Plover	1.13%
70. Upland Sandpiper	10.28%
71. Whimbrel	0.0000%
72. Long-billed Curlew	0.2489%
73. Hudsonian Godwit	0.2855%
74. Marbled Godwit	4.43%
75. Short-billed Dowitcher	1.60%
76. Long-billed Dowitcher	2.50%
77. American Woodcock	0.0220%
78. Wilson's Snipe	5.86%
79. Wilson's Phalarope	7.72%
80. Red-necked Phalarope	1.65%
81. Spotted Sandpiper	9.41%
82. Solitary Sandpiper	2.61%
83. Lesser Yellowlegs	10.64%
84. Willet	5.81%
85. Greater Yellowlegs	6.87%
86. Ruddy Turnstone	0.1391%
87. Red Knot	0.0146%

88. Ruff	0.0000%
89. Stilt Sandpiper	3.26%
90. Buff-breasted Sandpiper	0.3294%
91. Sanderling	0.9224%
92. Dunlin	0.0220%
93. Baird's Sandpiper	3.58%
94. Little Stint	0.0000%
95. White-rumped Sandpiper	0.0659%
96. Least Sandpiper	5.83%
97. Pectoral Sandpiper	5.07%
98. Western Sandpiper	0.0000%
99. Semipalmated Sandpiper	4.14%
100. South Polar Skua	0.0000%
101. Little Gull	0.0073%
102. Bonaparte's Gull	0.3002%
103. Franklin's Gull	10.52%
104. Ring-billed Gull	19.77%
105. Herring Gull	0.3368%
106. Great Black-backed Gull	0.0073%
107. Lesser Black-backed Gull	0.0073%
108. California Gull	3.36%
109. Least Tern	0.7101%
110. Caspian Tern	1.04%

111. Black Tern	14.11%
112. Forster's Tern	5.87%
113. Common Tern	1.76%
114. Red-throated Loon	0.0439%
115. Pacific Loon	0.0000%
116. Common Loon	0.5930%
117. Double-crested Cormorant	14.50%
118. Neotropic Cormorant	0.1025%
119. American White Pelican	15.97%
120. American Bittern	2.22%
121. Least Bittern	0.4100%
122. Yellow-crowned Night Heron	0.0000%
123. Black-crowned Night Heron	3.74%
124. Little Blue Heron	0.0000%
125. Snowy Egret	1.07%
126. Green Heron	0.7321%
127. Western Cattle Egret	1.25%
128. Great Egret	3.71%
129. Great Blue Heron	7.78%
130. Glossy Ibis	0.1391%
131. White-faced Ibis	4.23%
132. Turkey Vulture	9.28%
133. Osprey	0.2562%

134. Golden Eagle	1.18%
135. Northern Harrier	10.15%
136. Sharp-shinned Hawk	0.1318%
137. Cooper's Hawk	2.99%
138. American Goshawk	0.0073%
139. Bald Eagle	4.19%
140. Broad-winged Hawk	0.2709%
141. Swainson's Hawk	7.55%
142. Red-tailed Hawk	15.13%
143. Rough-legged Hawk	0.0000%
144. Ferruginous Hawk	1.10%
145. Barn Owl	0.0000%
146. Eastern Screech-Owl	0.0952%
147. Snowy Owl	0.0000%
148. Great Horned Owl	1.44%
149. Burrowing Owl	1.06%
150. Barred Owl	0.0366%
151. Long-eared Owl	0.1244%
152. Short-eared Owl	0.3294%
153. Northern Saw-whet Owl	0.0146%
154. Belted Kingfisher	4.23%
155. Yellow-bellied Sapsucker	4.41%
156. Red-headed Woodpecker	2.73%

157. Red-bellied Woodpecker	0.9444%
158. Downy Woodpecker	9.52%
159. Hairy Woodpecker	7.26%
160. Pileated Woodpecker	0.6955%
161. Northern Flicker	17.18%
162. Crested Caracara	0.0000%
163. American Kestrel	5.83%
164. Merlin	1.81%
165. Peregrine Falcon	0.3221%
166. Prairie Falcon	0.5783%
167. Olive-sided Flycatcher	0.0146%
168. Western Wood-Pewee	1.68%
169. Eastern Wood-Pewee	4.90%
170. Yellow-bellied Flycatcher	0.0073%
171. Alder Flycatcher	0.1611%
172. Willow Flycatcher	3.77%
173. Least Flycatcher	13.42%
174. Eastern Phoebe	2.01%
175. Say's Phoebe	5.25%
176. Great Crested Flycatcher	3.20%
177. Western Kingbird	24.60%
178. Eastern Kingbird	35.20%
179. Scissor-tailed Flycatcher	0.0073%

180. Bell's Vireo	0.1830%
181. Yellow-throated Vireo	1.79%
182. Blue-headed Vireo	0.0073%
183. Warbling Vireo	7.21%
184. Red-eyed Vireo	9.66%
185. Loggerhead Shrike	1.92%
186. Blue Jay	8.42%
187. Black-billed Magpie	4.54%
188. American Crow	17.29%
189. Common Raven	1.02%
190. Black-capped Chickadee	16.69%
191. Horned Lark	13.59%
192. Bank Swallow	9.73%
193. Tree Swallow	14.57%
194. Violet-green Swallow	0.7174%
195. Purple Martin	7.54%
196. Northern Rough-winged Swallow	3.90%
197. Barn Swallow	33.23%
198. Cliff Swallow	19.38%
199. White-breasted Nuthatch	12.22%
200. Red-breasted Nuthatch	1.84%
201. Brown Creeper	0.0220%
202. Blue-gray Gnatcatcher	0.0732%

203. Rock Wren	2.11%
204. House Wren	25.10%
205. Sedge Wren	8.21%
206. Marsh Wren	14.81%
207. European Starling	10.41%
208. Gray Catbird	13.09%
209. Brown Thrasher	6.65%
210. Northern Mockingbird	0.0366%
211. Eastern Bluebird	3.41%
212. Mountain Bluebird	3.06%
213. Veery	1.07%
214. Swainson's Thrush	0.0000%
215. Hermit Thrush	0.0000%
216. Wood Thrush	0.0073%
217. American Robin	46.60%
218. Cedar Waxwing	18.20%
219. House Sparrow	21.42%
220. Eurasian Tree Sparrow	0.0732%
221. American Pipit	0.0073%
222. Sprague's Pipit	2.02%
223. House Finch	10.89%
224. Purple Finch	0.1611%
225. Red Crossbill	0.4612%

226. Pine Siskin	1.20%
227. American Goldfinch	42.15%
228. Chestnut-collared Longspur	4.73%
229. Thick-billed Longspur	0.0659%
230. Grasshopper Sparrow	14.60%
231. Chipping Sparrow	26.63%
232. Clay-colored Sparrow	20.86%
233. Field Sparrow	8.82%
234. Brewer's Sparrow	0.1391%
235. Lark Sparrow	10.40%
236. Lark Bunting	2.86%
237. Dark-eyed Junco	0.0073%
238. White-crowned Sparrow	0.0073%
239. Harris's Sparrow	0.0000%
240. White-throated Sparrow	0.1244%
241. Vesper Sparrow	13.73%
242. LeConte's Sparrow	2.38%
243. Nelson's Sparrow	3.45%
244. Savannah Sparrow	15.29%
245. Baird's Sparrow	2.63%
246. Henslow's Sparrow	0.0952%
247. Song Sparrow	30.59%
248. Swamp Sparrow	2.14%

249. Spotted Towhee	10.29%
250. Eastern Towhee	0.1684%
251. Yellow-breasted Chat	5.48%
252. Yellow-headed Blackbird	15.28%
253. Bobolink	11.37%
254. Western Meadowlark	32.63%
255. Eastern Meadowlark	0.0659%
256. Orchard Oriole	11.99%
257. Bullock's Oriole	0.5783%
258. Baltimore Oriole	6.00%
259. Red-winged Blackbird	48.13%
260. Brown-headed Cowbird	25.23%
261. Brewer's Blackbird	10.68%
262. Common Grackle	31.73%
263. Great-tailed Grackle	0.0000%
264. Ovenbird	1.21%
265. Northern Waterthrush	0.5051%
266. Blue-winged Warbler	0.0073%
267. Black-and-white Warbler	1.80%
268. Tennessee Warbler	0.2489%
269. Orange-crowned Warbler	0.0659%
270. Nashville Warbler	0.0366%
271. Mourning Warbler	0.0439%

272. Common Yellowthroat	26.77%
273. American Redstart	5.86%
274. Cape May Warbler	0.0000%
275. Bay-breasted Warbler	0.0000%
276. Yellow Warbler	25.75%
277. Chestnut-sided Warbler	0.0586%
278. Yellow-rumped Warbler	0.0952%
279. Prairie Warbler	0.0146%
280. Summer Tanager	0.0805%
281. Scarlet Tanager	0.3221%
282. Western Tanager	0.0146%
283. Northern Cardinal	1.71%
284. Rose-breasted Grosbeak	2.55%
285. Black-headed Grosbeak	2.23%
286. Blue Grosbeak	0.4978%
287. Lazuli Bunting	8.05%
288. Indigo Bunting	2.17%
289. Dickcissel	5.67%
EXOTIC: ESCAPEE	
Graylag Goose	0.0000% frequency
Mute Swan	0.0659%
Mandarin Duck	0.0073%
Northern Bobwhite	0.0000%

Chukar	0.0366%
African Collared-Dove	0.0073%
HYBRIDS	
Snow x Ross's Goose (hybrid)	0.0073% frequency
Western x Clark's Grebe (hybrid)	0.0439%
Spotted x Eastern Towhee (hybrid)	0.0220%
Bullock's x Baltimore Oriole (hybrid)	0.0073%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0146%
Lazuli x Indigo Bunting (hybrid)	0.0512%