



Target Species

Based on 25,424 complete checklists

309 species observed in North Dakota, US (region/US-ND) in **Jun** that you need for your **World Life List**

1. Red-winged Blackbird	57.03% frequency
2. Mourning Dove	50.42%
3. Common Grackle	46.28%
4. Western Meadowlark	46.04%
5. American Robin	43.69%
6. Brown-headed Cowbird	43.63%
7. Yellow Warbler	37.48%
8. Eastern Kingbird	36.84%
9. Mallard	34.16%
10. Killdeer	33.60%
11. American Goldfinch	30.73%
12. Barn Swallow	30.14%
13. Common Yellowthroat	28.11%
14. Song Sparrow	26.47%
15. Clay-colored Sparrow	25.94%
16. House Wren	25.68%
17. Blue-winged Teal	25.52%

18. Yellow-headed Blackbird	25.39%
19. Bobolink	24.64%
20. Western Kingbird	24.40%
21. Canada Goose	23.95%
22. Ring-necked Pheasant	23.79%
23. Chipping Sparrow	22.60%
24. Gadwall	20.60%
25. Tree Swallow	19.50%
26. Savannah Sparrow	18.71%
27. Least Flycatcher	18.44%
28. Horned Lark	18.23%
29. Northern Shoveler	18.01%
30. Grasshopper Sparrow	17.86%
31. Cliff Swallow	17.77%
32. House Sparrow	17.09%
33. American Crow	16.89%
34. American White Pelican	16.72%
35. Ring-billed Gull	16.26%
36. Vesper Sparrow	15.73%
37. Cedar Waxwing	15.54%
38. Double-crested Cormorant	14.65%
39. Warbling Vireo	14.40%
40. Orchard Oriole	14.28%

41. Marsh Wren	13.90%
42. American Coot	13.59%
43. Black Tern	13.50%
44. Gray Catbird	13.48%
45. Red-tailed Hawk	13.24%
46. European Starling	13.10%
47. Brewer's Blackbird	13.02%
48. Northern Flicker	12.95%
49. Red-eyed Vireo	12.83%
50. Redhead	12.56%
51. Northern Pintail	12.56%
52. Ruddy Duck	11.95%
53. Wilson's Snipe	11.67%
54. Upland Sandpiper	11.20%
55. Wilson's Phalarope	10.92%
56. Sora	10.69%
57. Baltimore Oriole	10.68%
58. Northern Harrier	10.67%
59. Black-capped Chickadee	10.29%
60. Marbled Godwit	10.20%
61. Lark Sparrow	10.19%
62. Brown Thrasher	9.55%
63. Willet	9.23%

64. Lesser Scaup	9.11%
65. American Redstart	8.85%
66. Spotted Towhee	8.70%
67. Bank Swallow	8.66%
68. Field Sparrow	8.49%
69. Franklin's Gull	8.43%
70. Sedge Wren	8.38%
71. Eared Grebe	8.30%
72. Chestnut-collared Longspur	8.20%
73. Western Grebe	8.11%
74. White-breasted Nuthatch	7.96%
75. Turkey Vulture	7.77%
76. Swainson's Hawk	7.43%
77. Rock Pigeon	7.43%
78. American Avocet	7.34%
79. Pied-billed Grebe	7.15%
80. Lazuli Bunting	7.07%
81. Willow Flycatcher	6.96%
82. Canvasback	6.94%
83. Forster's Tern	6.83%
84. House Finch	6.76%
85. American Wigeon	6.48%
86. Downy Woodpecker	6.46%

87. Hairy Woodpecker	6.45%
88. Eastern Wood-Pewee	6.27%
89. Blue Jay	6.17%
90. Lark Bunting	5.94%
91. Spotted Sandpiper	5.93%
92. Yellow-breasted Chat	5.87%
93. Eurasian Collared-Dove	5.84%
94. Great Blue Heron	5.71%
95. Wood Duck	5.43%
96. Great Crested Flycatcher	5.38%
97. Purple Martin	5.38%
98. Black-billed Magpie	5.27%
99. Green-winged Teal	5.12%
100. Common Nighthawk	5.10%
101. Northern Rough-winged Swallow	4.98%
102. Say's Phoebe	4.97%
103. Sharp-tailed Grouse	4.62%
104. Black-crowned Night Heron	4.61%
105. Yellow-bellied Sapsucker	4.44%
106. Dickcissel	4.42%
107. American Bittern	4.41%
108. Chimney Swift	4.22%
109. American Kestrel	4.05%

110. Great Egret	3.88%
111. Eastern Bluebird	3.79%
112. Rose-breasted Grosbeak	3.77%
113. Baird's Sparrow	3.63%
114. Red-necked Grebe	3.56%
115. Nelson's Sparrow	3.47%
116. Black-and-white Warbler	3.27%
117. California Gull	3.26%
118. Yellow-throated Vireo	3.24%
119. Hooded Merganser	3.11%
120. Black-headed Grosbeak	3.09%
121. Wild Turkey	3.08%
122. White-faced Ibis	3.04%
123. Ring-necked Duck	3.04%
124. Bald Eagle	3.02%
125. Belted Kingfisher	2.89%
126. LeConte's Sparrow	2.74%
127. Ovenbird	2.73%
128. Bufflehead	2.72%
129. Virginia Rail	2.61%
130. Gray Partridge	2.60%
131. Eastern Phoebe	2.55%
132. Mountain Bluebird	2.43%

133. Red-headed Woodpecker	2.18%
134. Sprague's Pipit	2.18%
135. Cooper's Hawk	2.17%
136. Swamp Sparrow	2.17%
137. Ferruginous Hawk	2.12%
138. Ruby-throated Hummingbird	2.10%
139. Indigo Bunting	2.05%
140. Western Wood-Pewee	2.03%
141. Veery	2.00%
142. Loggerhead Shrike	1.96%
143. Common Tern	1.90%
144. Rock Wren	1.86%
145. Great Horned Owl	1.75%
146. Pine Siskin	1.71%
147. White-rumped Sandpiper	1.62%
148. Western Cattle Egret	1.53%
149. Semipalmated Sandpiper	1.51%
150. Lesser Yellowlegs	1.40%
151. Snow Goose	1.38%
152. Alder Flycatcher	1.38%
153. Common Raven	1.36%
154. Snowy Egret	1.33%
155. Red-bellied Woodpecker	1.32%

156. Piping Plover	1.25%
157. Northern Waterthrush	1.17%
158. Northern Cardinal	1.14%
159. Black-billed Cuckoo	1.09%
160. Red-breasted Nuthatch	1.02%
161. Horned Grebe	0.9991%
162. Caspian Tern	0.9794%
163. Pileated Woodpecker	0.9637%
164. Golden Eagle	0.9165%
165. Clark's Grebe	0.9125%
166. Burrowing Owl	0.8260%
167. Bullock's Oriole	0.7749%
168. Merlin	0.7198%
169. Least Tern	0.6608%
170. Red-necked Phalarope	0.6372%
171. Common Loon	0.6333%
172. Violet-green Swallow	0.6333%
173. Scarlet Tanager	0.6136%
174. Greater Yellowlegs	0.6018%
175. Short-eared Owl	0.5703%
176. Broad-winged Hawk	0.5625%
177. Sanderling	0.5467%
178. Chestnut-sided Warbler	0.5428%

179. Long-billed Curlew	0.5389%
180. Tennessee Warbler	0.5349%
181. Swainson's Thrush	0.5035%
182. Trumpeter Swan	0.4484%
183. Least Sandpiper	0.4169%
184. Stilt Sandpiper	0.4051%
185. Green Heron	0.4051%
186. Common Goldeneye	0.3973%
187. Yellow Rail	0.3933%
188. Baird's Sandpiper	0.3776%
189. Blue Grosbeak	0.3619%
190. Red Crossbill	0.3540%
191. Mourning Warbler	0.3501%
192. Herring Gull	0.3461%
193. Purple Finch	0.3422%
194. Ruddy Turnstone	0.3383%
195. Eastern Towhee	0.3383%
196. Pectoral Sandpiper	0.3343%
197. Prairie Falcon	0.3068%
198. Semipalmated Plover	0.2911%
199. Common Poorwill	0.2871%
200. Black-necked Stilt	0.2832%
201. Yellow-rumped Warbler	0.2675%

202. Brewer's Sparrow	0.2281%
203. Ruffed Grouse	0.2242%
204. Dunlin	0.2242%
205. Osprey	0.2242%
206. Least Bittern	0.2124%
207. Yellow-bellied Flycatcher	0.2124%
208. Blackpoll Warbler	0.2124%
209. Olive-sided Flycatcher	0.2045%
210. Orange-crowned Warbler	0.2045%
211. Bonaparte's Gull	0.2006%
212. Common Merganser	0.1927%
213. Black-bellied Plover	0.1731%
214. Bell's Vireo	0.1731%
215. Yellow-billed Cuckoo	0.1691%
216. Sandhill Crane	0.1691%
217. Philadelphia Vireo	0.1613%
218. Peregrine Falcon	0.1573%
219. Henslow's Sparrow	0.1573%
220. Magnolia Warbler	0.1495%
221. Cinnamon Teal	0.1377%
222. Hudsonian Godwit	0.1377%
223. Solitary Sandpiper	0.1377%
224. Long-billed Dowitcher	0.1337%

225. Canada Warbler	0.1337%
226. American Black Duck	0.1219%
227. Sharp-shinned Hawk	0.1180%
228. Thick-billed Longspur	0.1062%
229. Greater White-fronted Goose	0.0983%
230. Greater Prairie-Chicken	0.0944%
231. Eastern Screech-Owl	0.0944%
232. American Golden-Plover	0.0865%
233. Short-billed Dowitcher	0.0865%
234. Barred Owl	0.0865%
235. White-throated Sparrow	0.0826%
236. Blue-gray Gnatcatcher	0.0787%
237. Northern Mockingbird	0.0787%
238. Nashville Warbler	0.0787%
239. Connecticut Warbler	0.0708%
240. Wilson's Warbler	0.0708%
241. Long-eared Owl	0.0669%
242. Eastern Whip-poor-will	0.0629%
243. Ross's Goose	0.0590%
244. Bay-breasted Warbler	0.0551%
245. Blackburnian Warbler	0.0551%
246. Summer Tanager	0.0551%
247. Black-bellied Whistling-Duck	0.0511%

248. Greater Scaup	0.0511%
249. Northern Saw-whet Owl	0.0511%
250. Brown Creeper	0.0511%
251. Tundra Swan	0.0472%
252. American Woodcock	0.0433%
253. Glossy Ibis	0.0433%
254. Harris's Sparrow	0.0433%
255. Eastern Meadowlark	0.0433%
256. Wood Thrush	0.0393%
257. Red-breasted Merganser	0.0354%
258. Greater Sage-Grouse	0.0354%
259. Western Tanager	0.0354%
260. Blue-headed Vireo	0.0315%
261. Tricolored Heron	0.0236%
262. Gray-cheeked Thrush	0.0236%
263. White-crowned Sparrow	0.0236%
264. Whimbrel	0.0197%
265. Black-throated Green Warbler	0.0197%
266. Little Gull	0.0157%
267. Lesser Black-backed Gull	0.0118%
268. Little Blue Heron	0.0118%
269. Red-shouldered Hawk	0.0118%
270. Ruby-crowned Kinglet	0.0118%

271. White-winged Dove	0.0079%
272. Red Knot	0.0079%
273. Rough-legged Hawk	0.0079%
274. Acadian Flycatcher	0.0079%
275. Northern Parula	0.0079%
276. Palm Warbler	0.0079%
277. Whooping Crane	0.0039%
278. Western Sandpiper	0.0039%
279. Great Black-backed Gull	0.0039%
280. Barn Owl	0.0039%
281. Lewis's Woodpecker	0.0039%
282. Townsend's Solitaire	0.0039%
283. Hermit Thrush	0.0039%
284. Eurasian Tree Sparrow	0.0039%
285. Lapland Longspur	0.0039%
286. Dark-eyed Junco	0.0039%
287. Lincoln's Sparrow	0.0039%
288. Great-tailed Grackle	0.0039%
289. Blue-winged Warbler	0.0039%
290. Hooded Warbler	0.0039%
291. Cape May Warbler	0.0039%
292. Cerulean Warbler	0.0039%
293. White-winged Scoter	0.0000%

294. Band-tailed Pigeon	0.0000%
295. Passenger Pigeon	0.0000%
296. Calliope Hummingbird	0.0000%
297. Rufous Hummingbird	0.0000%
298. King Rail	0.0000%
299. Snowy Plover	0.0000%
300. Red Phalarope	0.0000%
301. Buff-breasted Sandpiper	0.0000%
302. Ross's Gull	0.0000%
303. Acorn Woodpecker	0.0000%
304. Sage Thrasher	0.0000%
305. White-winged Crossbill	0.0000%
306. Fox Sparrow	0.0000%
307. Pine Warbler	0.0000%
308. Yellow-throated Warbler	0.0000%
309. Prairie Warbler	0.0000%

EXOTIC: ESCAPEE

Indian Peafowl	0.0118% frequency
Chukar	0.0118%
Northern Bobwhite	0.0079%
Mute Swan	0.0039%
Ruddy Shelduck	0.0000%

HYBRIDS

Lazuli x Indigo Bunting (hybrid)	0.0983% frequency
Western x Clark's Grebe (hybrid)	0.0511%
Spotted x Eastern Towhee (hybrid)	0.0354%
Bullock's x Baltimore Oriole (hybrid)	0.0315%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0315%
Mallard x American Black Duck (hybrid)	0.0079%
Snow x Canada Goose (hybrid)	0.0039%
Western x Eastern Meadowlark (hybrid)	0.0039%
Lawrence's Warbler (hybrid)	0.0039%
Gadwall x Mallard (hybrid)	0.0000%