



## Target Species

Based on 25,424 complete checklists

**309** species observed in North Dakota, US (region/US-ND) in **Jun** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0511%</b> frequency
2. <b>Snow Goose</b>	<b>1.38%</b>
3. <b>Ross's Goose</b>	<b>0.0590%</b>
4. <b>Greater White-fronted Goose</b>	<b>0.0983%</b>
5. <b>Canada Goose</b>	<b>23.95%</b>
6. <b>Trumpeter Swan</b>	<b>0.4484%</b>
7. <b>Tundra Swan</b>	<b>0.0472%</b>
8. <b>Wood Duck</b>	<b>5.43%</b>
9. <b>Blue-winged Teal</b>	<b>25.52%</b>
10. <b>Cinnamon Teal</b>	<b>0.1377%</b>
11. <b>Northern Shoveler</b>	<b>18.01%</b>
12. <b>Gadwall</b>	<b>20.60%</b>
13. <b>American Wigeon</b>	<b>6.48%</b>
14. <b>Mallard</b>	<b>34.16%</b>
15. <b>American Black Duck</b>	<b>0.1219%</b>
16. <b>Northern Pintail</b>	<b>12.56%</b>
17. <b>Green-winged Teal</b>	<b>5.12%</b>

18. Canvasback	6.94%
19. Redhead	12.56%
20. Ring-necked Duck	3.04%
21. Greater Scaup	0.0511%
22. Lesser Scaup	9.11%
23. White-winged Scoter	0.0000%
24. Bufflehead	2.72%
25. Common Goldeneye	0.3973%
26. Hooded Merganser	3.11%
27. Common Merganser	0.1927%
28. Red-breasted Merganser	0.0354%
29. Ruddy Duck	11.95%
30. Wild Turkey	3.08%
31. Ruffed Grouse	0.2242%
32. Greater Sage-Grouse	0.0354%
33. Sharp-tailed Grouse	4.62%
34. Greater Prairie-Chicken	0.0944%
35. Gray Partridge	2.60%
36. Ring-necked Pheasant	23.79%
37. Pied-billed Grebe	7.15%
38. Horned Grebe	0.9991%
39. Red-necked Grebe	3.56%
40. Eared Grebe	8.30%

41. <b>Western Grebe</b>	<b>8.11%</b>
42. <b>Clark's Grebe</b>	<b>0.9125%</b>
43. <b>Rock Pigeon</b>	<b>7.43%</b>
44. <b>Band-tailed Pigeon</b>	<b>0.0000%</b>
45. <b>Passenger Pigeon</b>	<b>0.0000%</b>
46. <b>Eurasian Collared-Dove</b>	<b>5.84%</b>
47. <b>White-winged Dove</b>	<b>0.0079%</b>
48. <b>Mourning Dove</b>	<b>50.42%</b>
49. <b>Yellow-billed Cuckoo</b>	<b>0.1691%</b>
50. <b>Black-billed Cuckoo</b>	<b>1.09%</b>
51. <b>Common Nighthawk</b>	<b>5.10%</b>
52. <b>Common Poorwill</b>	<b>0.2871%</b>
53. <b>Eastern Whip-poor-will</b>	<b>0.0629%</b>
54. <b>Chimney Swift</b>	<b>4.22%</b>
55. <b>Ruby-throated Hummingbird</b>	<b>2.10%</b>
56. <b>Calliope Hummingbird</b>	<b>0.0000%</b>
57. <b>Rufous Hummingbird</b>	<b>0.0000%</b>
58. <b>King Rail</b>	<b>0.0000%</b>
59. <b>Virginia Rail</b>	<b>2.61%</b>
60. <b>Sora</b>	<b>10.69%</b>
61. <b>American Coot</b>	<b>13.59%</b>
62. <b>Yellow Rail</b>	<b>0.3933%</b>
63. <b>Sandhill Crane</b>	<b>0.1691%</b>

64. Whooping Crane	0.0039%
65. Black-necked Stilt	0.2832%
66. American Avocet	7.34%
67. Black-bellied Plover	0.1731%
68. American Golden-Plover	0.0865%
69. Killdeer	33.60%
70. Semipalmated Plover	0.2911%
71. Piping Plover	1.25%
72. Snowy Plover	0.0000%
73. Upland Sandpiper	11.20%
74. Whimbrel	0.0197%
75. Long-billed Curlew	0.5389%
76. Hudsonian Godwit	0.1377%
77. Marbled Godwit	10.20%
78. Short-billed Dowitcher	0.0865%
79. Long-billed Dowitcher	0.1337%
80. American Woodcock	0.0433%
81. Wilson's Snipe	11.67%
82. Wilson's Phalarope	10.92%
83. Red Phalarope	0.0000%
84. Red-necked Phalarope	0.6372%
85. Spotted Sandpiper	5.93%
86. Solitary Sandpiper	0.1377%

87. Lesser Yellowlegs	1.40%
88. Willet	9.23%
89. Greater Yellowlegs	0.6018%
90. Ruddy Turnstone	0.3383%
91. Red Knot	0.0079%
92. Stilt Sandpiper	0.4051%
93. Buff-breasted Sandpiper	0.0000%
94. Sanderling	0.5467%
95. Dunlin	0.2242%
96. Baird's Sandpiper	0.3776%
97. White-rumped Sandpiper	1.62%
98. Least Sandpiper	0.4169%
99. Pectoral Sandpiper	0.3343%
100. Western Sandpiper	0.0039%
101. Semipalmated Sandpiper	1.51%
102. Little Gull	0.0157%
103. Ross's Gull	0.0000%
104. Bonaparte's Gull	0.2006%
105. Franklin's Gull	8.43%
106. Ring-billed Gull	16.26%
107. Herring Gull	0.3461%
108. Great Black-backed Gull	0.0039%
109. Lesser Black-backed Gull	0.0118%

110. California Gull	3.26%
111. Least Tern	0.6608%
112. Caspian Tern	0.9794%
113. Black Tern	13.50%
114. Forster's Tern	6.83%
115. Common Tern	1.90%
116. Common Loon	0.6333%
117. Double-crested Cormorant	14.65%
118. American White Pelican	16.72%
119. American Bittern	4.41%
120. Least Bittern	0.2124%
121. Black-crowned Night Heron	4.61%
122. Little Blue Heron	0.0118%
123. Tricolored Heron	0.0236%
124. Snowy Egret	1.33%
125. Green Heron	0.4051%
126. Western Cattle Egret	1.53%
127. Great Egret	3.88%
128. Great Blue Heron	5.71%
129. Glossy Ibis	0.0433%
130. White-faced Ibis	3.04%
131. Turkey Vulture	7.77%
132. Osprey	0.2242%

133. Golden Eagle	0.9165%
134. Northern Harrier	10.67%
135. Sharp-shinned Hawk	0.1180%
136. Cooper's Hawk	2.17%
137. Bald Eagle	3.02%
138. Red-shouldered Hawk	0.0118%
139. Broad-winged Hawk	0.5625%
140. Swainson's Hawk	7.43%
141. Red-tailed Hawk	13.24%
142. Rough-legged Hawk	0.0079%
143. Ferruginous Hawk	2.12%
144. Barn Owl	0.0039%
145. Eastern Screech-Owl	0.0944%
146. Great Horned Owl	1.75%
147. Burrowing Owl	0.8260%
148. Barred Owl	0.0865%
149. Long-eared Owl	0.0669%
150. Short-eared Owl	0.5703%
151. Northern Saw-whet Owl	0.0511%
152. Belted Kingfisher	2.89%
153. Yellow-bellied Sapsucker	4.44%
154. Lewis's Woodpecker	0.0039%
155. Red-headed Woodpecker	2.18%

156. Acorn Woodpecker	0.0000%
157. Red-bellied Woodpecker	1.32%
158. Downy Woodpecker	6.46%
159. Hairy Woodpecker	6.45%
160. Pileated Woodpecker	0.9637%
161. Northern Flicker	12.95%
162. American Kestrel	4.05%
163. Merlin	0.7198%
164. Peregrine Falcon	0.1573%
165. Prairie Falcon	0.3068%
166. Olive-sided Flycatcher	0.2045%
167. Western Wood-Pewee	2.03%
168. Eastern Wood-Pewee	6.27%
169. Yellow-bellied Flycatcher	0.2124%
170. Acadian Flycatcher	0.0079%
171. Alder Flycatcher	1.38%
172. Willow Flycatcher	6.96%
173. Least Flycatcher	18.44%
174. Eastern Phoebe	2.55%
175. Say's Phoebe	4.97%
176. Great Crested Flycatcher	5.38%
177. Western Kingbird	24.40%
178. Eastern Kingbird	36.84%



179. <b>Bell's Vireo</b>	<b>0.1731%</b>
180. <b>Yellow-throated Vireo</b>	<b>3.24%</b>
181. <b>Blue-headed Vireo</b>	<b>0.0315%</b>
182. <b>Philadelphia Vireo</b>	<b>0.1613%</b>
183. <b>Warbling Vireo</b>	<b>14.40%</b>
184. <b>Red-eyed Vireo</b>	<b>12.83%</b>
185. <b>Loggerhead Shrike</b>	<b>1.96%</b>
186. <b>Blue Jay</b>	<b>6.17%</b>
187. <b>Black-billed Magpie</b>	<b>5.27%</b>
188. <b>American Crow</b>	<b>16.89%</b>
189. <b>Common Raven</b>	<b>1.36%</b>
190. <b>Black-capped Chickadee</b>	<b>10.29%</b>
191. <b>Horned Lark</b>	<b>18.23%</b>
192. <b>Bank Swallow</b>	<b>8.66%</b>
193. <b>Tree Swallow</b>	<b>19.50%</b>
194. <b>Violet-green Swallow</b>	<b>0.6333%</b>
195. <b>Purple Martin</b>	<b>5.38%</b>
196. <b>Northern Rough-winged Swallow</b>	<b>4.98%</b>
197. <b>Barn Swallow</b>	<b>30.14%</b>
198. <b>Cliff Swallow</b>	<b>17.77%</b>
199. <b>Ruby-crowned Kinglet</b>	<b>0.0118%</b>
200. <b>White-breasted Nuthatch</b>	<b>7.96%</b>
201. <b>Red-breasted Nuthatch</b>	<b>1.02%</b>

202. <b>Brown Creeper</b>	<b>0.0511%</b>
203. <b>Blue-gray Gnatcatcher</b>	<b>0.0787%</b>
204. <b>Rock Wren</b>	<b>1.86%</b>
205. <b>House Wren</b>	<b>25.68%</b>
206. <b>Sedge Wren</b>	<b>8.38%</b>
207. <b>Marsh Wren</b>	<b>13.90%</b>
208. <b>European Starling</b>	<b>13.10%</b>
209. <b>Gray Catbird</b>	<b>13.48%</b>
210. <b>Brown Thrasher</b>	<b>9.55%</b>
211. <b>Sage Thrasher</b>	<b>0.0000%</b>
212. <b>Northern Mockingbird</b>	<b>0.0787%</b>
213. <b>Eastern Bluebird</b>	<b>3.79%</b>
214. <b>Mountain Bluebird</b>	<b>2.43%</b>
215. <b>Townsend's Solitaire</b>	<b>0.0039%</b>
216. <b>Veery</b>	<b>2.00%</b>
217. <b>Gray-cheeked Thrush</b>	<b>0.0236%</b>
218. <b>Swainson's Thrush</b>	<b>0.5035%</b>
219. <b>Hermit Thrush</b>	<b>0.0039%</b>
220. <b>Wood Thrush</b>	<b>0.0393%</b>
221. <b>American Robin</b>	<b>43.69%</b>
222. <b>Cedar Waxwing</b>	<b>15.54%</b>
223. <b>House Sparrow</b>	<b>17.09%</b>
224. <b>Eurasian Tree Sparrow</b>	<b>0.0039%</b>

225. Sprague's Pipit	2.18%
226. House Finch	6.76%
227. Purple Finch	0.3422%
228. Red Crossbill	0.3540%
229. White-winged Crossbill	0.0000%
230. Pine Siskin	1.71%
231. American Goldfinch	30.73%
232. Lapland Longspur	0.0039%
233. Chestnut-collared Longspur	8.20%
234. Thick-billed Longspur	0.1062%
235. Grasshopper Sparrow	17.86%
236. Chipping Sparrow	22.60%
237. Clay-colored Sparrow	25.94%
238. Field Sparrow	8.49%
239. Brewer's Sparrow	0.2281%
240. Lark Sparrow	10.19%
241. Lark Bunting	5.94%
242. Fox Sparrow	0.0000%
243. Dark-eyed Junco	0.0039%
244. White-crowned Sparrow	0.0236%
245. Harris's Sparrow	0.0433%
246. White-throated Sparrow	0.0826%
247. Vesper Sparrow	15.73%

248. LeConte's Sparrow	2.74%
249. Nelson's Sparrow	3.47%
250. Savannah Sparrow	18.71%
251. Baird's Sparrow	3.63%
252. Henslow's Sparrow	0.1573%
253. Song Sparrow	26.47%
254. Lincoln's Sparrow	0.0039%
255. Swamp Sparrow	2.17%
256. Spotted Towhee	8.70%
257. Eastern Towhee	0.3383%
258. Yellow-breasted Chat	5.87%
259. Yellow-headed Blackbird	25.39%
260. Bobolink	24.64%
261. Western Meadowlark	46.04%
262. Eastern Meadowlark	0.0433%
263. Orchard Oriole	14.28%
264. Bullock's Oriole	0.7749%
265. Baltimore Oriole	10.68%
266. Red-winged Blackbird	57.03%
267. Brown-headed Cowbird	43.63%
268. Brewer's Blackbird	13.02%
269. Common Grackle	46.28%
270. Great-tailed Grackle	0.0039%

271. Ovenbird	2.73%
272. Northern Waterthrush	1.17%
273. Blue-winged Warbler	0.0039%
274. Black-and-white Warbler	3.27%
275. Tennessee Warbler	0.5349%
276. Orange-crowned Warbler	0.2045%
277. Nashville Warbler	0.0787%
278. Connecticut Warbler	0.0708%
279. Mourning Warbler	0.3501%
280. Common Yellowthroat	28.11%
281. Hooded Warbler	0.0039%
282. American Redstart	8.85%
283. Cape May Warbler	0.0039%
284. Cerulean Warbler	0.0039%
285. Northern Parula	0.0079%
286. Magnolia Warbler	0.1495%
287. Bay-breasted Warbler	0.0551%
288. Blackburnian Warbler	0.0551%
289. Yellow Warbler	37.48%
290. Chestnut-sided Warbler	0.5428%
291. Blackpoll Warbler	0.2124%
292. Palm Warbler	0.0079%
293. Pine Warbler	0.0000%

294. <b>Yellow-rumped Warbler</b>	<b>0.2675%</b>
295. <b>Yellow-throated Warbler</b>	<b>0.0000%</b>
296. <b>Prairie Warbler</b>	<b>0.0000%</b>
297. <b>Black-throated Green Warbler</b>	<b>0.0197%</b>
298. <b>Canada Warbler</b>	<b>0.1337%</b>
299. <b>Wilson's Warbler</b>	<b>0.0708%</b>
300. <b>Summer Tanager</b>	<b>0.0551%</b>
301. <b>Scarlet Tanager</b>	<b>0.6136%</b>
302. <b>Western Tanager</b>	<b>0.0354%</b>
303. <b>Northern Cardinal</b>	<b>1.14%</b>
304. <b>Rose-breasted Grosbeak</b>	<b>3.77%</b>
305. <b>Black-headed Grosbeak</b>	<b>3.09%</b>
306. <b>Blue Grosbeak</b>	<b>0.3619%</b>
307. <b>Lazuli Bunting</b>	<b>7.07%</b>
308. <b>Indigo Bunting</b>	<b>2.05%</b>
309. <b>Dickcissel</b>	<b>4.42%</b>

**EXOTIC: ESCAPEE**

<b>Mute Swan</b>	<b>0.0039%</b> frequency
<b>Ruddy Shelduck</b>	<b>0.0000%</b>
<b>Northern Bobwhite</b>	<b>0.0079%</b>
<b>Indian Peafowl</b>	<b>0.0118%</b>
<b>Chukar</b>	<b>0.0118%</b>

**HYBRIDS**

Snow x Canada Goose (hybrid)	<b>0.0039%</b> frequency
Gadwall x Mallard (hybrid)	<b>0.0000%</b>
Mallard x American Black Duck (hybrid)	<b>0.0079%</b>
Western x Clark's Grebe (hybrid)	<b>0.0511%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0354%</b>
Western x Eastern Meadowlark (hybrid)	<b>0.0039%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0315%</b>
Lawrence's Warbler (hybrid)	<b>0.0039%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0315%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0983%</b>