



Target Species

Based on 28,950 complete checklists

347 species observed in North Dakota, US (region/US-ND) in May that you need for your World Life List

1. American Robin	58.35% frequency
2. Common Grackle	55.17%
3. Red-winged Blackbird	54.81%
4. Mourning Dove	52.08%
5. Mallard	48.91%
6. Canada Goose	43.97%
7. Brown-headed Cowbird	40.58%
8. Chipping Sparrow	40.43%
9. Yellow Warbler	34.72%
10. American Goldfinch	32.76%
11. Song Sparrow	32.23%
12. Blue-winged Teal	32.13%
13. Killdeer	30.06%
14. Western Meadowlark	29.48%
15. Clay-colored Sparrow	28.16%
16. Tree Swallow	27.68%
17. Black-capped Chickadee	25.99%

18. Ring-necked Pheasant	25.64%
19. Least Flycatcher	25.22%
20. Barn Swallow	25.06%
21. Northern Shoveler	24.95%
22. House Sparrow	24.12%
23. American Crow	23.44%
24. Yellow-rumped Warbler	22.14%
25. Yellow-headed Blackbird	21.75%
26. Gadwall	21.63%
27. House Wren	20.82%
28. Swainson's Thrush	20.55%
29. Downy Woodpecker	19.09%
30. White-throated Sparrow	18.82%
31. House Finch	17.39%
32. White-breasted Nuthatch	17.37%
33. European Starling	17.17%
34. Northern Pintail	17.04%
35. Baltimore Oriole	16.86%
36. Gray Catbird	16.48%
37. Northern Flicker	16.01%
38. American Coot	15.61%
39. Blue Jay	14.92%
40. Eastern Kingbird	14.91%

41. Ring-billed Gull	14.88%
42. Double-crested Cormorant	14.64%
43. Hairy Woodpecker	13.58%
44. Wood Duck	13.55%
45. Orange-crowned Warbler	13.44%
46. American Redstart	13.27%
47. Brown Thrasher	12.90%
48. Tennessee Warbler	12.86%
49. Common Yellowthroat	12.76%
50. Pine Siskin	12.73%
51. Redhead	12.72%
52. Savannah Sparrow	12.51%
53. White-crowned Sparrow	12.49%
54. Wilson's Phalarope	12.34%
55. American White Pelican	12.33%
56. Rose-breasted Grosbeak	12.20%
57. Franklin's Gull	12.08%
58. Western Kingbird	12.07%
59. Lesser Scaup	12.00%
60. Cedar Waxwing	11.77%
61. Cliff Swallow	11.70%
62. Bobolink	11.59%
63. Harris's Sparrow	11.21%

64. Vesper Sparrow	11.09%
65. Ruddy Duck	10.63%
66. Spotted Sandpiper	10.63%
67. Eurasian Collared-Dove	10.39%
68. Northern Harrier	10.22%
69. Black-and-white Warbler	9.88%
70. Ruby-crowned Kinglet	9.79%
71. Eared Grebe	9.76%
72. Canvasback	9.65%
73. Willet	9.60%
74. Lincoln's Sparrow	9.58%
75. Red-tailed Hawk	9.54%
76. Warbling Vireo	9.44%
77. Horned Lark	9.37%
78. Blackpoll Warbler	9.15%
79. Sora	8.80%
80. Western Grebe	8.58%
81. Lark Sparrow	8.47%
82. Bank Swallow	8.47%
83. American Avocet	8.38%
84. American Wigeon	8.21%
85. Turkey Vulture	8.15%
86. Marbled Godwit	8.04%

87. Yellow-bellied Sapsucker	7.97%
88. Black Tern	7.92%
89. Red-eyed Vireo	7.87%
90. Rock Pigeon	7.83%
91. Pied-billed Grebe	7.79%
92. Wilson's Snipe	7.70%
93. Brewer's Blackbird	7.51%
94. Spotted Towhee	7.09%
95. Green-winged Teal	7.08%
96. Ovenbird	7.05%
97. Forster's Tern	6.92%
98. Purple Martin	6.80%
99. Northern Waterthrush	6.80%
100. Orchard Oriole	6.71%
101. Hooded Merganser	6.30%
102. Cooper's Hawk	6.21%
103. Swainson's Hawk	6.19%
104. Upland Sandpiper	6.13%
105. Magnolia Warbler	6.11%
106. Lesser Yellowlegs	6.04%
107. Great Blue Heron	5.89%
108. Palm Warbler	5.87%
109. Northern Cardinal	5.57%

110. Marsh Wren	5.54%
111. Belted Kingfisher	5.45%
112. Bufflehead	5.30%
113. Northern Rough-winged Swallow	5.18%
114. Eastern Phoebe	5.12%
115. Say's Phoebe	5.05%
116. Red-bellied Woodpecker	4.88%
117. Wild Turkey	4.75%
118. Field Sparrow	4.73%
119. Red-breasted Nuthatch	4.71%
120. Least Sandpiper	4.69%
121. Gray-cheeked Thrush	4.66%
122. Ring-necked Duck	4.64%
123. Chimney Swift	4.57%
124. Bald Eagle	4.45%
125. Nashville Warbler	4.36%
126. Semipalmated Sandpiper	4.34%
127. Grasshopper Sparrow	4.29%
128. American Kestrel	3.55%
129. Black-billed Magpie	3.54%
130. Great Crested Flycatcher	3.52%
131. Sharp-tailed Grouse	3.45%
132. Broad-winged Hawk	3.31%

133. Stilt Sandpiper	3.24%
134. Black-headed Grosbeak	3.16%
135. Yellow-throated Vireo	3.11%
136. Chestnut-sided Warbler	3.05%
137. Chestnut-collared Longspur	2.99%
138. White-rumped Sandpiper	2.95%
139. Pectoral Sandpiper	2.90%
140. Alder Flycatcher	2.85%
141. Wilson's Warbler	2.85%
142. Ruby-throated Hummingbird	2.82%
143. Solitary Sandpiper	2.75%
144. Eastern Bluebird	2.69%
145. Swamp Sparrow	2.68%
146. American Bittern	2.66%
147. Blue-headed Vireo	2.63%
148. Great Horned Owl	2.58%
149. Baird's Sandpiper	2.56%
150. Long-billed Dowitcher	2.55%
151. Sedge Wren	2.53%
152. Black-crowned Night Heron	2.52%
153. Red-necked Grebe	2.51%
154. Dark-eyed Junco	2.47%
155. Merlin	2.45%

156. White-faced Ibis	2.45%
157. Philadelphia Vireo	2.43%
158. Mourning Warbler	2.41%
159. Pileated Woodpecker	2.40%
160. Red-necked Phalarope	2.39%
161. Greater Yellowlegs	2.34%
162. Great Egret	2.30%
163. Dunlin	2.22%
164. Semipalmated Plover	2.17%
165. Horned Grebe	2.16%
166. Eastern Wood-Pewee	2.13%
167. Lazuli Bunting	2.04%
168. Sanderling	1.99%
169. California Gull	1.99%
170. Cape May Warbler	1.97%
171. Hermit Thrush	1.88%
172. Common Nighthawk	1.85%
173. Red-headed Woodpecker	1.80%
174. Gray Partridge	1.78%
175. Veery	1.77%
176. Common Raven	1.76%
177. Yellow-breasted Chat	1.70%
178. Virginia Rail	1.68%

179. Common Tern	1.67%
180. Indigo Bunting	1.64%
181. Purple Finch	1.58%
182. Snow Goose	1.57%
183. Canada Warbler	1.54%
184. Ruddy Turnstone	1.52%
185. Blackburnian Warbler	1.36%
186. Loggerhead Shrike	1.33%
187. Bay-breasted Warbler	1.31%
188. Hudsonian Godwit	1.27%
189. Bonaparte's Gull	1.20%
190. Lark Bunting	1.18%
191. Yellow-bellied Flycatcher	1.17%
192. Peregrine Falcon	1.13%
193. LeConte's Sparrow	1.11%
194. Short-billed Dowitcher	1.10%
195. Mountain Bluebird	1.09%
196. Brown Creeper	1.09%
197. Olive-sided Flycatcher	1.08%
198. Green Heron	1.06%
199. Baird's Sparrow	1.03%
200. Black-bellied Plover	0.9465%
201. Willow Flycatcher	0.9188%

202. Tundra Swan	0.8566%
203. Common Merganser	0.8290%
204. Black-throated Green Warbler	0.8256%
205. Common Loon	0.8117%
206. Ferruginous Hawk	0.8048%
207. Sprague's Pipit	0.8014%
208. Greater Scaup	0.7979%
209. Piping Plover	0.7945%
210. Caspian Tern	0.7910%
211. Osprey	0.7738%
212. Herring Gull	0.7461%
213. Scarlet Tanager	0.7461%
214. American Pipit	0.7081%
215. Sharp-shinned Hawk	0.7012%
216. American Golden-Plover	0.6701%
217. Rock Wren	0.6701%
218. Red Crossbill	0.6701%
219. Common Goldeneye	0.6459%
220. Western Cattle Egret	0.6390%
221. Nelson's Sparrow	0.6010%
222. Fox Sparrow	0.5838%
223. Connecticut Warbler	0.5769%
224. Snowy Egret	0.5665%

225. Eastern Towhee	0.5285%
226. Trumpeter Swan	0.5250%
227. Golden Eagle	0.4491%
228. Golden-crowned Kinglet	0.4421%
229. Burrowing Owl	0.4214%
230. Northern Parula	0.4180%
231. Greater White-fronted Goose	0.4110%
232. Clark's Grebe	0.3938%
233. Sandhill Crane	0.3903%
234. Golden-winged Warbler	0.3627%
235. Western Wood-Pewee	0.3523%
236. Long-billed Curlew	0.3420%
237. Bullock's Oriole	0.3385%
238. American Tree Sparrow	0.2694%
239. Violet-green Swallow	0.2660%
240. Short-eared Owl	0.2591%
241. Red-breasted Merganser	0.2522%
242. Ross's Goose	0.2487%
243. Lapland Longspur	0.2487%
244. Black-billed Cuckoo	0.2349%
245. Summer Tanager	0.2349%
246. Winter Wren	0.2280%
247. American Woodcock	0.2211%

248. Barred Owl	0.2211%
249. Blue-gray Gnatcatcher	0.2142%
250. Black-necked Stilt	0.2038%
251. Cinnamon Teal	0.1796%
252. Greater Prairie-Chicken	0.1796%
253. Eastern Screech-Owl	0.1762%
254. Least Tern	0.1693%
255. Prairie Falcon	0.1658%
256. Whimbrel	0.1589%
257. Wood Thrush	0.1589%
258. Glossy Ibis	0.1485%
259. Cackling Goose	0.1451%
260. Common Redpoll	0.1451%
261. Rusty Blackbird	0.1416%
262. Ruffed Grouse	0.1347%
263. Northern Mockingbird	0.1243%
264. Brewer's Sparrow	0.1243%
265. Western Tanager	0.1243%
266. Yellow Rail	0.1036%
267. Lesser Black-backed Gull	0.1036%
268. Long-eared Owl	0.0967%
269. Eastern Whip-poor-will	0.0898%
270. Rough-legged Hawk	0.0864%

271. Northern Saw-whet Owl	0.0829%
272. Dickcissel	0.0794%
273. Common Poorwill	0.0760%
274. Red Knot	0.0725%
275. American Black Duck	0.0691%
276. Blue-winged Warbler	0.0691%
277. Painted Bunting	0.0691%
278. White-winged Crossbill	0.0656%
279. Pine Warbler	0.0587%
280. Buff-breasted Sandpiper	0.0553%
281. Golden-crowned Sparrow	0.0518%
282. Black-throated Blue Warbler	0.0484%
283. Eurasian Tree Sparrow	0.0449%
284. Iceland Gull	0.0415%
285. Worm-eating Warbler	0.0415%
286. White-eyed Vireo	0.0380%
287. Bell's Vireo	0.0380%
288. Townsend's Solitaire	0.0380%
289. Smith's Longspur	0.0345%
290. Bohemian Waxwing	0.0311%
291. Hooded Warbler	0.0311%
292. Gray Flycatcher	0.0276%
293. Snow Bunting	0.0276%

294. Great Black-backed Gull	0.0242%
295. Least Bittern	0.0242%
296. Thick-billed Longspur	0.0242%
297. Blue Grosbeak	0.0242%
298. Greater Sage-Grouse	0.0207%
299. American Goshawk	0.0207%
300. MacGillivray's Warbler	0.0207%
301. Townsend's Warbler	0.0207%
302. Ruff	0.0173%
303. Black-throated Sparrow	0.0173%
304. Black-throated Gray Warbler	0.0173%
305. White-winged Scoter	0.0138%
306. Long-tailed Duck	0.0138%
307. Yellow-billed Cuckoo	0.0138%
308. Red-shouldered Hawk	0.0138%
309. White-winged Dove	0.0104%
310. Yellow-crowned Night Heron	0.0104%
311. Lewis's Woodpecker	0.0104%
312. Varied Thrush	0.0104%
313. Great-tailed Grackle	0.0104%
314. Eurasian Wigeon	0.0069%
315. Snowy Plover	0.0069%
316. Western Sandpiper	0.0069%

317. Plumbeous Vireo	0.0069%
318. Evening Grosbeak	0.0069%
319. Henslow's Sparrow	0.0069%
320. Green-tailed Towhee	0.0069%
321. Eastern Meadowlark	0.0069%
322. Prothonotary Warbler	0.0069%
323. Surf Scoter	0.0034%
324. Whooping Crane	0.0034%
325. Little Gull	0.0034%
326. Glaucous Gull	0.0034%
327. Arctic Tern	0.0034%
328. Little Blue Heron	0.0034%
329. Barn Owl	0.0034%
330. Snowy Owl	0.0034%
331. Acadian Flycatcher	0.0034%
332. Pinyon Jay	0.0034%
333. Canyon Wren	0.0034%
334. Kentucky Warbler	0.0034%
335. Yellow-throated Warbler	0.0034%
336. Garganey	0.0000%
337. Passenger Pigeon	0.0000%
338. Common Gallinule	0.0000%
339. Curlew Sandpiper	0.0000%

340. Great Gray Owl	0.0000%
341. Scissor-tailed Flycatcher	0.0000%
342. Bewick's Wren	0.0000%
343. Sage Thrasher	0.0000%
344. Northern Wheatear	0.0000%
345. Lesser Goldfinch	0.0000%
346. Louisiana Waterthrush	0.0000%
347. Cerulean Warbler	0.0000%

EXOTIC: ESCAPEE

Chukar	0.0345% frequency
Northern Bobwhite	0.0138%
Muscovy Duck	0.0069%
Indian Peafowl	0.0000%

HYBRIDS

Rose-breasted x Black-headed Grosbeak (hybrid)	0.0484% frequency
Spotted x Eastern Towhee (hybrid)	0.0345%
Bullock's x Baltimore Oriole (hybrid)	0.0276%
Lazuli x Indigo Bunting (hybrid)	0.0276%
Blue-winged x Cinnamon Teal (hybrid)	0.0173%
Western x Clark's Grebe (hybrid)	0.0138%
Mallard x American Black Duck (hybrid)	0.0104%
Gadwall x Mallard (hybrid)	0.0034%

Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	0.0034%
Glossy x White-faced Ibis (hybrid)	0.0034%
Brewster's Warbler (hybrid)	0.0034%
Domestic goose sp. x Canada Goose (hybrid)	0.0000%
