



Target Species

Based on 28,950 complete checklists

347 species observed in North Dakota, US (region/US-ND) in **May** that you need for your **World Life List**

1. Snow Goose	1.57% frequency
2. Ross's Goose	0.2487%
3. Greater White-fronted Goose	0.4110%
4. Cackling Goose	0.1451%
5. Canada Goose	43.97%
6. Trumpeter Swan	0.5250%
7. Tundra Swan	0.8566%
8. Wood Duck	13.55%
9. Garganey	0.0000%
10. Blue-winged Teal	32.13%
11. Cinnamon Teal	0.1796%
12. Northern Shoveler	24.95%
13. Gadwall	21.63%
14. Eurasian Wigeon	0.0069%
15. American Wigeon	8.21%
16. Mallard	48.91%
17. American Black Duck	0.0691%

18. Northern Pintail	17.04%
19. Green-winged Teal	7.08%
20. Canvasback	9.65%
21. Redhead	12.72%
22. Ring-necked Duck	4.64%
23. Greater Scaup	0.7979%
24. Lesser Scaup	12.00%
25. Surf Scoter	0.0034%
26. White-winged Scoter	0.0138%
27. Long-tailed Duck	0.0138%
28. Bufflehead	5.30%
29. Common Goldeneye	0.6459%
30. Hooded Merganser	6.30%
31. Common Merganser	0.8290%
32. Red-breasted Merganser	0.2522%
33. Ruddy Duck	10.63%
34. Wild Turkey	4.75%
35. Ruffed Grouse	0.1347%
36. Greater Sage-Grouse	0.0207%
37. Sharp-tailed Grouse	3.45%
38. Greater Prairie-Chicken	0.1796%
39. Gray Partridge	1.78%
40. Ring-necked Pheasant	25.64%

41. Pied-billed Grebe	7.79%
42. Horned Grebe	2.16%
43. Red-necked Grebe	2.51%
44. Eared Grebe	9.76%
45. Western Grebe	8.58%
46. Clark's Grebe	0.3938%
47. Rock Pigeon	7.83%
48. Passenger Pigeon	0.0000%
49. Eurasian Collared-Dove	10.39%
50. White-winged Dove	0.0104%
51. Mourning Dove	52.08%
52. Yellow-billed Cuckoo	0.0138%
53. Black-billed Cuckoo	0.2349%
54. Common Nighthawk	1.85%
55. Common Poorwill	0.0760%
56. Eastern Whip-poor-will	0.0898%
57. Chimney Swift	4.57%
58. Ruby-throated Hummingbird	2.82%
59. Virginia Rail	1.68%
60. Sora	8.80%
61. Common Gallinule	0.0000%
62. American Coot	15.61%
63. Yellow Rail	0.1036%

64. Sandhill Crane	0.3903%
65. Whooping Crane	0.0034%
66. Black-necked Stilt	0.2038%
67. American Avocet	8.38%
68. Black-bellied Plover	0.9465%
69. American Golden-Plover	0.6701%
70. Killdeer	30.06%
71. Semipalmated Plover	2.17%
72. Piping Plover	0.7945%
73. Snowy Plover	0.0069%
74. Upland Sandpiper	6.13%
75. Whimbrel	0.1589%
76. Long-billed Curlew	0.3420%
77. Hudsonian Godwit	1.27%
78. Marbled Godwit	8.04%
79. Short-billed Dowitcher	1.10%
80. Long-billed Dowitcher	2.55%
81. American Woodcock	0.2211%
82. Wilson's Snipe	7.70%
83. Wilson's Phalarope	12.34%
84. Red-necked Phalarope	2.39%
85. Spotted Sandpiper	10.63%
86. Solitary Sandpiper	2.75%

87. Lesser Yellowlegs	6.04%
88. Willet	9.60%
89. Greater Yellowlegs	2.34%
90. Ruddy Turnstone	1.52%
91. Red Knot	0.0725%
92. Ruff	0.0173%
93. Curlew Sandpiper	0.0000%
94. Stilt Sandpiper	3.24%
95. Buff-breasted Sandpiper	0.0553%
96. Sanderling	1.99%
97. Dunlin	2.22%
98. Baird's Sandpiper	2.56%
99. White-rumped Sandpiper	2.95%
100. Least Sandpiper	4.69%
101. Pectoral Sandpiper	2.90%
102. Western Sandpiper	0.0069%
103. Semipalmated Sandpiper	4.34%
104. Little Gull	0.0034%
105. Bonaparte's Gull	1.20%
106. Franklin's Gull	12.08%
107. Ring-billed Gull	14.88%
108. Herring Gull	0.7461%
109. Great Black-backed Gull	0.0242%

110. Glaucous Gull	0.0034%
111. Lesser Black-backed Gull	0.1036%
112. California Gull	1.99%
113. Iceland Gull	0.0415%
114. Least Tern	0.1693%
115. Caspian Tern	0.7910%
116. Black Tern	7.92%
117. Forster's Tern	6.92%
118. Arctic Tern	0.0034%
119. Common Tern	1.67%
120. Common Loon	0.8117%
121. Double-crested Cormorant	14.64%
122. American White Pelican	12.33%
123. American Bittern	2.66%
124. Least Bittern	0.0242%
125. Yellow-crowned Night Heron	0.0104%
126. Black-crowned Night Heron	2.52%
127. Little Blue Heron	0.0034%
128. Snowy Egret	0.5665%
129. Green Heron	1.06%
130. Western Cattle Egret	0.6390%
131. Great Egret	2.30%
132. Great Blue Heron	5.89%

133. Glossy Ibis	0.1485%
134. White-faced Ibis	2.45%
135. Turkey Vulture	8.15%
136. Osprey	0.7738%
137. Golden Eagle	0.4491%
138. Northern Harrier	10.22%
139. Sharp-shinned Hawk	0.7012%
140. Cooper's Hawk	6.21%
141. American Goshawk	0.0207%
142. Bald Eagle	4.45%
143. Red-shouldered Hawk	0.0138%
144. Broad-winged Hawk	3.31%
145. Swainson's Hawk	6.19%
146. Red-tailed Hawk	9.54%
147. Rough-legged Hawk	0.0864%
148. Ferruginous Hawk	0.8048%
149. Barn Owl	0.0034%
150. Eastern Screech-Owl	0.1762%
151. Snowy Owl	0.0034%
152. Great Horned Owl	2.58%
153. Burrowing Owl	0.4214%
154. Barred Owl	0.2211%
155. Great Gray Owl	0.0000%

156. Long-eared Owl	0.0967%
157. Short-eared Owl	0.2591%
158. Northern Saw-whet Owl	0.0829%
159. Belted Kingfisher	5.45%
160. Yellow-bellied Sapsucker	7.97%
161. Lewis's Woodpecker	0.0104%
162. Red-headed Woodpecker	1.80%
163. Red-bellied Woodpecker	4.88%
164. Downy Woodpecker	19.09%
165. Hairy Woodpecker	13.58%
166. Pileated Woodpecker	2.40%
167. Northern Flicker	16.01%
168. American Kestrel	3.55%
169. Merlin	2.45%
170. Peregrine Falcon	1.13%
171. Prairie Falcon	0.1658%
172. Olive-sided Flycatcher	1.08%
173. Western Wood-Pewee	0.3523%
174. Eastern Wood-Pewee	2.13%
175. Yellow-bellied Flycatcher	1.17%
176. Acadian Flycatcher	0.0034%
177. Alder Flycatcher	2.85%
178. Willow Flycatcher	0.9188%

179. Least Flycatcher	25.22%
180. Gray Flycatcher	0.0276%
181. Eastern Phoebe	5.12%
182. Say's Phoebe	5.05%
183. Great Crested Flycatcher	3.52%
184. Western Kingbird	12.07%
185. Eastern Kingbird	14.91%
186. Scissor-tailed Flycatcher	0.0000%
187. White-eyed Vireo	0.0380%
188. Bell's Vireo	0.0380%
189. Yellow-throated Vireo	3.11%
190. Blue-headed Vireo	2.63%
191. Plumbeous Vireo	0.0069%
192. Philadelphia Vireo	2.43%
193. Warbling Vireo	9.44%
194. Red-eyed Vireo	7.87%
195. Loggerhead Shrike	1.33%
196. Pinyon Jay	0.0034%
197. Blue Jay	14.92%
198. Black-billed Magpie	3.54%
199. American Crow	23.44%
200. Common Raven	1.76%
201. Black-capped Chickadee	25.99%

202. Horned Lark	9.37%
203. Bank Swallow	8.47%
204. Tree Swallow	27.68%
205. Violet-green Swallow	0.2660%
206. Purple Martin	6.80%
207. Northern Rough-winged Swallow	5.18%
208. Barn Swallow	25.06%
209. Cliff Swallow	11.70%
210. Ruby-crowned Kinglet	9.79%
211. Golden-crowned Kinglet	0.4421%
212. White-breasted Nuthatch	17.37%
213. Red-breasted Nuthatch	4.71%
214. Brown Creeper	1.09%
215. Blue-gray Gnatcatcher	0.2142%
216. Rock Wren	0.6701%
217. Canyon Wren	0.0034%
218. House Wren	20.82%
219. Winter Wren	0.2280%
220. Sedge Wren	2.53%
221. Marsh Wren	5.54%
222. Bewick's Wren	0.0000%
223. European Starling	17.17%
224. Gray Catbird	16.48%

225. Brown Thrasher	12.90%
226. Sage Thrasher	0.0000%
227. Northern Mockingbird	0.1243%
228. Eastern Bluebird	2.69%
229. Mountain Bluebird	1.09%
230. Townsend's Solitaire	0.0380%
231. Varied Thrush	0.0104%
232. Veery	1.77%
233. Gray-cheeked Thrush	4.66%
234. Swainson's Thrush	20.55%
235. Hermit Thrush	1.88%
236. Wood Thrush	0.1589%
237. American Robin	58.35%
238. Northern Wheatear	0.0000%
239. Bohemian Waxwing	0.0311%
240. Cedar Waxwing	11.77%
241. House Sparrow	24.12%
242. Eurasian Tree Sparrow	0.0449%
243. American Pipit	0.7081%
244. Sprague's Pipit	0.8014%
245. Evening Grosbeak	0.0069%
246. House Finch	17.39%
247. Purple Finch	1.58%

248. Common Redpoll	0.1451%
249. Red Crossbill	0.6701%
250. White-winged Crossbill	0.0656%
251. Pine Siskin	12.73%
252. Lesser Goldfinch	0.0000%
253. American Goldfinch	32.76%
254. Lapland Longspur	0.2487%
255. Chestnut-collared Longspur	2.99%
256. Smith's Longspur	0.0345%
257. Thick-billed Longspur	0.0242%
258. Snow Bunting	0.0276%
259. Grasshopper Sparrow	4.29%
260. Chipping Sparrow	40.43%
261. Clay-colored Sparrow	28.16%
262. Field Sparrow	4.73%
263. Brewer's Sparrow	0.1243%
264. Black-throated Sparrow	0.0173%
265. Lark Sparrow	8.47%
266. Lark Bunting	1.18%
267. American Tree Sparrow	0.2694%
268. Fox Sparrow	0.5838%
269. Dark-eyed Junco	2.47%
270. White-crowned Sparrow	12.49%

271. Golden-crowned Sparrow	0.0518%
272. Harris's Sparrow	11.21%
273. White-throated Sparrow	18.82%
274. Vesper Sparrow	11.09%
275. LeConte's Sparrow	1.11%
276. Nelson's Sparrow	0.6010%
277. Savannah Sparrow	12.51%
278. Baird's Sparrow	1.03%
279. Henslow's Sparrow	0.0069%
280. Song Sparrow	32.23%
281. Lincoln's Sparrow	9.58%
282. Swamp Sparrow	2.68%
283. Green-tailed Towhee	0.0069%
284. Spotted Towhee	7.09%
285. Eastern Towhee	0.5285%
286. Yellow-breasted Chat	1.70%
287. Yellow-headed Blackbird	21.75%
288. Bobolink	11.59%
289. Western Meadowlark	29.48%
290. Eastern Meadowlark	0.0069%
291. Orchard Oriole	6.71%
292. Bullock's Oriole	0.3385%
293. Baltimore Oriole	16.86%

294. Red-winged Blackbird	54.81%
295. Brown-headed Cowbird	40.58%
296. Rusty Blackbird	0.1416%
297. Brewer's Blackbird	7.51%
298. Common Grackle	55.17%
299. Great-tailed Grackle	0.0104%
300. Ovenbird	7.05%
301. Worm-eating Warbler	0.0415%
302. Louisiana Waterthrush	0.0000%
303. Northern Waterthrush	6.80%
304. Golden-winged Warbler	0.3627%
305. Blue-winged Warbler	0.0691%
306. Black-and-white Warbler	9.88%
307. Prothonotary Warbler	0.0069%
308. Tennessee Warbler	12.86%
309. Orange-crowned Warbler	13.44%
310. Nashville Warbler	4.36%
311. Connecticut Warbler	0.5769%
312. MacGillivray's Warbler	0.0207%
313. Mourning Warbler	2.41%
314. Kentucky Warbler	0.0034%
315. Common Yellowthroat	12.76%
316. Hooded Warbler	0.0311%

317. American Redstart	13.27%
318. Cape May Warbler	1.97%
319. Cerulean Warbler	0.0000%
320. Northern Parula	0.4180%
321. Magnolia Warbler	6.11%
322. Bay-breasted Warbler	1.31%
323. Blackburnian Warbler	1.36%
324. Yellow Warbler	34.72%
325. Chestnut-sided Warbler	3.05%
326. Blackpoll Warbler	9.15%
327. Black-throated Blue Warbler	0.0484%
328. Palm Warbler	5.87%
329. Pine Warbler	0.0587%
330. Yellow-rumped Warbler	22.14%
331. Yellow-throated Warbler	0.0034%
332. Black-throated Gray Warbler	0.0173%
333. Townsend's Warbler	0.0207%
334. Black-throated Green Warbler	0.8256%
335. Canada Warbler	1.54%
336. Wilson's Warbler	2.85%
337. Summer Tanager	0.2349%
338. Scarlet Tanager	0.7461%
339. Western Tanager	0.1243%

340. Northern Cardinal	5.57%
341. Rose-breasted Grosbeak	12.20%
342. Black-headed Grosbeak	3.16%
343. Blue Grosbeak	0.0242%
344. Lazuli Bunting	2.04%
345. Indigo Bunting	1.64%
346. Painted Bunting	0.0691%
347. Dickcissel	0.0794%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0069% frequency
Northern Bobwhite	0.0138%
Indian Peafowl	0.0000%
Chukar	0.0345%
HYBRIDS	
Domestic goose sp. x Canada Goose (hybrid)	0.0000% frequency
Blue-winged x Cinnamon Teal (hybrid)	0.0173%
Gadwall x Mallard (hybrid)	0.0034%
Mallard x American Black Duck (hybrid)	0.0104%
Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	0.0034%
Western x Clark's Grebe (hybrid)	0.0138%
Glossy x White-faced Ibis (hybrid)	0.0034%
Spotted x Eastern Towhee (hybrid)	0.0345%

Bullock's x Baltimore Oriole (hybrid)	0.0276%
Brewster's Warbler (hybrid)	0.0034%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0484%
Lazuli x Indigo Bunting (hybrid)	0.0276%