



Target Species

Based on 10,815 complete checklists

320 species observed in North Dakota, US (region/US-ND) in Sep that you need for your World Life List

1. American Robin	45.08% frequency
2. Mourning Dove	42.89%
3. Northern Flicker	39.38%
4. Black-capped Chickadee	37.13%
5. American Goldfinch	34.27%
6. Canada Goose	33.53%
7. White-breasted Nuthatch	29.36%
8. Blue Jay	28.76%
9. Yellow-rumped Warbler	27.06%
10. Chipping Sparrow	23.86%
11. Ring-billed Gull	23.61%
12. American Crow	23.50%
13. Downy Woodpecker	23.09%
14. Barn Swallow	22.16%
15. Red-tailed Hawk	21.61%
16. Mallard	20.57%
17. Cedar Waxwing	20.21%

18. Hairy Woodpecker	18.80%
19. Orange-crowned Warbler	18.48%
20. Gray Catbird	17.36%
21. Common Grackle	17.06%
22. White-throated Sparrow	17.05%
23. House Sparrow	16.86%
24. House Finch	16.53%
25. Killdeer	16.32%
26. Franklin's Gull	16.02%
27. Double-crested Cormorant	15.25%
28. Blue-winged Teal	14.49%
29. Red-breasted Nuthatch	14.28%
30. Ruby-crowned Kinglet	14.23%
31. Song Sparrow	13.94%
32. House Wren	13.69%
33. European Starling	13.51%
34. Great Blue Heron	12.89%
35. American Coot	12.55%
36. Eurasian Collared-Dove	12.53%
37. American White Pelican	11.56%
38. Rock Pigeon	11.33%
39. Lincoln's Sparrow	11.26%
40. Red-winged Blackbird	11.23%

41. Turkey Vulture	10.74%
42. Yellow Warbler	10.54%
43. Northern Harrier	10.37%
44. Pied-billed Grebe	10.29%
45. Northern Shoveler	10.21%
46. Western Meadowlark	10.16%
47. Clay-colored Sparrow	10.05%
48. Belted Kingfisher	10.02%
49. Common Yellowthroat	9.77%
50. Wood Duck	9.25%
51. Red-eyed Vireo	9.22%
52. Least Flycatcher	8.92%
53. Greater Yellowlegs	8.44%
54. Bald Eagle	8.38%
55. American Redstart	8.14%
56. Dark-eyed Junco	8.02%
57. Ring-necked Pheasant	7.99%
58. Gadwall	7.91%
59. Ruddy Duck	7.83%
60. Savannah Sparrow	7.37%
61. Warbling Vireo	7.24%
62. Cooper's Hawk	7.01%
63. Brown Thrasher	6.99%

64. Swainson's Hawk	6.85%
65. Pine Siskin	6.84%
66. Tennessee Warbler	6.81%
67. Swainson's Thrush	6.70%
68. Vesper Sparrow	6.44%
69. Lesser Yellowlegs	6.26%
70. Wilson's Warbler	6.21%
71. White-crowned Sparrow	6.19%
72. Ruby-throated Hummingbird	6.11%
73. Nashville Warbler	5.95%
74. Green-winged Teal	5.79%
75. Black-and-white Warbler	5.65%
76. Redhead	5.63%
77. Western Grebe	5.59%
78. Great Egret	5.52%
79. Merlin	5.28%
80. Ovenbird	5.10%
81. Spotted Towhee	4.92%
82. Sharp-shinned Hawk	4.91%
83. Northern Pintail	4.90%
84. Yellow-bellied Sapsucker	4.89%
85. American Kestrel	4.85%
86. Harris's Sparrow	4.80%

87. Eared Grebe	4.72%
88. Rose-breasted Grosbeak	4.55%
89. American Avocet	4.41%
90. Eastern Phoebe	4.20%
91. American Wigeon	4.03%
92. Palm Warbler	3.98%
93. Blue-headed Vireo	3.96%
94. Broad-winged Hawk	3.79%
95. Black-billed Magpie	3.61%
96. Canvasback	3.53%
97. Purple Finch	3.48%
98. Tree Swallow	3.37%
99. Marsh Wren	3.31%
100. Horned Lark	3.22%
101. Magnolia Warbler	3.06%
102. Least Sandpiper	2.99%
103. Lesser Scaup	2.93%
104. Common Nighthawk	2.93%
105. Eastern Kingbird	2.88%
106. Pectoral Sandpiper	2.86%
107. Philadelphia Vireo	2.82%
108. Blackpoll Warbler	2.82%
109. Swamp Sparrow	2.74%

110. Yellow-headed Blackbird	2.73%
111. Eastern Bluebird	2.72%
112. Northern Cardinal	2.72%
113. Say's Phoebe	2.71%
114. Brewer's Blackbird	2.65%
115. Wild Turkey	2.64%
116. Northern Waterthrush	2.61%
117. Spotted Sandpiper	2.57%
118. Baird's Sandpiper	2.54%
119. White-faced Ibis	2.53%
120. Long-billed Dowitcher	2.52%
121. Sandhill Crane	2.37%
122. Stilt Sandpiper	2.30%
123. Chestnut-sided Warbler	2.30%
124. Hooded Merganser	2.21%
125. Wilson's Snipe	2.19%
126. Eastern Wood-Pewee	2.13%
127. Red-headed Woodpecker	2.08%
128. Red-bellied Woodpecker	2.07%
129. Pileated Woodpecker	2.06%
130. Great Horned Owl	2.04%
131. Red Crossbill	2.03%
132. Semipalmated Sandpiper	2.02%

133. Field Sparrow	2.02%
134. American Pipit	1.98%
135. Ring-necked Duck	1.97%
136. Sora	1.97%
137. Common Raven	1.91%
138. Forster's Tern	1.90%
139. Bufflehead	1.88%
140. Sanderling	1.75%
141. Sharp-tailed Grouse	1.73%
142. Osprey	1.71%
143. Bay-breasted Warbler	1.66%
144. Bonaparte's Gull	1.65%
145. Horned Grebe	1.63%
146. Solitary Sandpiper	1.62%
147. Mountain Bluebird	1.59%
148. Baltimore Oriole	1.59%
149. Red-necked Phalarope	1.58%
150. Bank Swallow	1.58%
151. Black-bellied Plover	1.41%
152. Peregrine Falcon	1.41%
153. Yellow-throated Vireo	1.41%
154. Mourning Warbler	1.35%
155. California Gull	1.29%

156. Great Crested Flycatcher	1.25%
157. Semipalmated Plover	1.21%
158. Gray Partridge	1.16%
159. Black-crowned Night Heron	1.15%
160. American Golden-Plover	1.14%
161. Fox Sparrow	1.08%
162. Black Tern	1.02%
163. Western Kingbird	1.01%
164. Wilson's Phalarope	0.9894%
165. Green Heron	0.9709%
166. Olive-sided Flycatcher	0.9524%
167. Cliff Swallow	0.9061%
168. Prairie Falcon	0.8784%
169. Snow Goose	0.8599%
170. Red-necked Grebe	0.8599%
171. Golden Eagle	0.8229%
172. Indigo Bunting	0.8044%
173. Herring Gull	0.7952%
174. Bobolink	0.7952%
175. Ferruginous Hawk	0.7767%
176. Brown Creeper	0.7674%
177. Sedge Wren	0.7582%
178. Hermit Thrush	0.7397%

179. Rock Wren	0.7305%
180. Snowy Egret	0.7212%
181. Blackburnian Warbler	0.7027%
182. Chimney Swift	0.6935%
183. Trumpeter Swan	0.6842%
184. Sabine's Gull	0.6842%
185. Common Loon	0.6657%
186. Marbled Godwit	0.6380%
187. Lark Sparrow	0.6288%
188. Tundra Swan	0.6103%
189. Chestnut-collared Longspur	0.5918%
190. Canada Warbler	0.5733%
191. American Bittern	0.5640%
192. Purple Martin	0.5548%
193. Caspian Tern	0.4993%
194. Yellow-bellied Flycatcher	0.4993%
195. Cackling Goose	0.4716%
196. Common Tern	0.4623%
197. Brown-headed Cowbird	0.4531%
198. Golden-crowned Kinglet	0.4438%
199. Orchard Oriole	0.4438%
200. Western Cattle Egret	0.4346%
201. Short-billed Dowitcher	0.4161%

202. Alder Flycatcher	0.4161%
203. LeConte's Sparrow	0.3976%
204. Winter Wren	0.3791%
205. Lazuli Bunting	0.3606%
206. Eastern Screech-Owl	0.3236%
207. Cape May Warbler	0.3144%
208. Yellow-breasted Chat	0.3051%
209. Buff-breasted Sandpiper	0.2959%
210. Western Wood-Pewee	0.2959%
211. Scarlet Tanager	0.2774%
212. Clark's Grebe	0.2682%
213. Hudsonian Godwit	0.2682%
214. Rusty Blackbird	0.2589%
215. Willet	0.2497%
216. Black-throated Green Warbler	0.2497%
217. Burrowing Owl	0.2404%
218. Northern Parula	0.2404%
219. Lapland Longspur	0.2312%
220. Greater White-fronted Goose	0.2219%
221. Common Goldeneye	0.2219%
222. Virginia Rail	0.2219%
223. Townsend's Solitaire	0.2219%
224. Sprague's Pipit	0.2127%

225. Eastern Towhee	0.2127%
226. Grasshopper Sparrow	0.2034%
227. Gray-cheeked Thrush	0.1849%
228. Black-throated Blue Warbler	0.1757%
229. Ross's Goose	0.1572%
230. American Tree Sparrow	0.1572%
231. Lark Bunting	0.1387%
232. Nelson's Sparrow	0.1387%
233. Willow Flycatcher	0.1294%
234. Ruddy Turnstone	0.1110%
235. Lesser Black-backed Gull	0.1110%
236. American Black Duck	0.1017%
237. Black-billed Cuckoo	0.0832%
238. Barn Owl	0.0832%
239. Loggerhead Shrike	0.0832%
240. Northern Rough-winged Swallow	0.0832%
241. Veery	0.0832%
242. Black-headed Grosbeak	0.0832%
243. Smith's Longspur	0.0740%
244. Dickcissel	0.0740%
245. Ruffed Grouse	0.0647%
246. Black-chinned Hummingbird	0.0647%
247. Upland Sandpiper	0.0647%

248. Barred Owl	0.0647%
249. Townsend's Warbler	0.0647%
250. Common Poorwill	0.0555%
251. Eastern Whip-poor-will	0.0555%
252. Black-necked Stilt	0.0555%
253. Long-eared Owl	0.0462%
254. Blue-gray Gnatcatcher	0.0462%
255. Cinnamon Teal	0.0370%
256. Red-breasted Merganser	0.0370%
257. Dunlin	0.0370%
258. Long-tailed Jaeger	0.0370%
259. Yellow-crowned Night Heron	0.0370%
260. Short-eared Owl	0.0370%
261. Golden-winged Warbler	0.0370%
262. Greater Scaup	0.0277%
263. Surf Scoter	0.0277%
264. Rufous Hummingbird	0.0277%
265. Whooping Crane	0.0277%
266. Piping Plover	0.0277%
267. Iceland Gull	0.0277%
268. Northern Saw-whet Owl	0.0277%
269. Evening Grosbeak	0.0277%
270. White-winged Crossbill	0.0277%

271. Common Merganser	0.0185%
272. Greater Prairie-Chicken	0.0185%
273. White-winged Dove	0.0185%
274. Long-billed Curlew	0.0185%
275. Red Phalarope	0.0185%
276. Little Gull	0.0185%
277. American Goshawk	0.0185%
278. Northern Shrike	0.0185%
279. Wood Thrush	0.0185%
280. Connecticut Warbler	0.0185%
281. MacGillivray's Warbler	0.0185%
282. Blue Grosbeak	0.0185%
283. Black-bellied Whistling-Duck	0.0093%
284. Red Knot	0.0093%
285. White-rumped Sandpiper	0.0093%
286. Parasitic Jaeger	0.0093%
287. Least Tern	0.0093%
288. Glossy Ibis	0.0093%
289. Red-shouldered Hawk	0.0093%
290. Rough-legged Hawk	0.0093%
291. Acadian Flycatcher	0.0093%
292. Hammond's Flycatcher	0.0093%
293. Bell's Vireo	0.0093%

294. Cassin's Vireo	0.0093%
295. Baird's Sparrow	0.0093%
296. Bullock's Oriole	0.0093%
297. Great-tailed Grackle	0.0093%
298. Prothonotary Warbler	0.0093%
299. Pine Warbler	0.0093%
300. Yellow-throated Warbler	0.0093%
301. Western Tanager	0.0093%
302. Black Scoter	0.0000%
303. Band-tailed Pigeon	0.0000%
304. Yellow-billed Cuckoo	0.0000%
305. Calliope Hummingbird	0.0000%
306. Broad-tailed Hummingbird	0.0000%
307. Yellow Rail	0.0000%
308. American Woodcock	0.0000%
309. Sharp-tailed Sandpiper	0.0000%
310. Western Sandpiper	0.0000%
311. Short-billed Gull	0.0000%
312. Arctic Tern	0.0000%
313. Least Bittern	0.0000%
314. Tricolored Heron	0.0000%
315. Snowy Owl	0.0000%
316. Northern Hawk Owl	0.0000%

317. Gyrfalcon	0.0000%
318. Northern Mockingbird	0.0000%
319. Blue-winged Warbler	0.0000%
320. Black-throated Gray Warbler	0.0000%
EXOTIC: ESCAPEE	
Chukar	0.0832% frequency
Mute Swan	0.0277%
Golden Pheasant	0.0093%
Orange-cheeked Waxbill	0.0093%
Helmeted Guineafowl	0.0000%
Indian Peafowl	0.0000%
HYBRIDS	
Snow x Ross's Goose (hybrid)	0.0093% frequency
Greater White-fronted x Canada Goose (hybrid)	0.0093%
Western x Clark's Grebe (hybrid)	0.0093%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0093%
Lazuli x Indigo Bunting (hybrid)	0.0093%