



## Target Species

Based on 10,815 complete checklists

**320** species observed in North Dakota, US (region/US-ND) in Sep that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0093%</b> frequency
2. <b>Snow Goose</b>	<b>0.8599%</b>
3. <b>Ross's Goose</b>	<b>0.1572%</b>
4. <b>Greater White-fronted Goose</b>	<b>0.2219%</b>
5. <b>Cackling Goose</b>	<b>0.4716%</b>
6. <b>Canada Goose</b>	<b>33.53%</b>
7. <b>Trumpeter Swan</b>	<b>0.6842%</b>
8. <b>Tundra Swan</b>	<b>0.6103%</b>
9. <b>Wood Duck</b>	<b>9.25%</b>
10. <b>Blue-winged Teal</b>	<b>14.49%</b>
11. <b>Cinnamon Teal</b>	<b>0.0370%</b>
12. <b>Northern Shoveler</b>	<b>10.21%</b>
13. <b>Gadwall</b>	<b>7.91%</b>
14. <b>American Wigeon</b>	<b>4.03%</b>
15. <b>Mallard</b>	<b>20.57%</b>
16. <b>American Black Duck</b>	<b>0.1017%</b>
17. <b>Northern Pintail</b>	<b>4.90%</b>

18. <b>Green-winged Teal</b>	<b>5.79%</b>
19. <b>Canvasback</b>	<b>3.53%</b>
20. <b>Redhead</b>	<b>5.63%</b>
21. <b>Ring-necked Duck</b>	<b>1.97%</b>
22. <b>Greater Scaup</b>	<b>0.0277%</b>
23. <b>Lesser Scaup</b>	<b>2.93%</b>
24. <b>Surf Scoter</b>	<b>0.0277%</b>
25. <b>Black Scoter</b>	<b>0.0000%</b>
26. <b>Bufflehead</b>	<b>1.88%</b>
27. <b>Common Goldeneye</b>	<b>0.2219%</b>
28. <b>Hooded Merganser</b>	<b>2.21%</b>
29. <b>Common Merganser</b>	<b>0.0185%</b>
30. <b>Red-breasted Merganser</b>	<b>0.0370%</b>
31. <b>Ruddy Duck</b>	<b>7.83%</b>
32. <b>Wild Turkey</b>	<b>2.64%</b>
33. <b>Ruffed Grouse</b>	<b>0.0647%</b>
34. <b>Sharp-tailed Grouse</b>	<b>1.73%</b>
35. <b>Greater Prairie-Chicken</b>	<b>0.0185%</b>
36. <b>Gray Partridge</b>	<b>1.16%</b>
37. <b>Ring-necked Pheasant</b>	<b>7.99%</b>
38. <b>Pied-billed Grebe</b>	<b>10.29%</b>
39. <b>Horned Grebe</b>	<b>1.63%</b>
40. <b>Red-necked Grebe</b>	<b>0.8599%</b>

41. Eared Grebe	4.72%
42. Western Grebe	5.59%
43. Clark's Grebe	0.2682%
44. Rock Pigeon	11.33%
45. Band-tailed Pigeon	0.0000%
46. Eurasian Collared-Dove	12.53%
47. White-winged Dove	0.0185%
48. Mourning Dove	42.89%
49. Yellow-billed Cuckoo	0.0000%
50. Black-billed Cuckoo	0.0832%
51. Common Nighthawk	2.93%
52. Common Poorwill	0.0555%
53. Eastern Whip-poor-will	0.0555%
54. Chimney Swift	0.6935%
55. Ruby-throated Hummingbird	6.11%
56. Black-chinned Hummingbird	0.0647%
57. Calliope Hummingbird	0.0000%
58. Rufous Hummingbird	0.0277%
59. Broad-tailed Hummingbird	0.0000%
60. Virginia Rail	0.2219%
61. Sora	1.97%
62. American Coot	12.55%
63. Yellow Rail	0.0000%

64. Sandhill Crane	2.37%
65. Whooping Crane	0.0277%
66. Black-necked Stilt	0.0555%
67. American Avocet	4.41%
68. Black-bellied Plover	1.41%
69. American Golden-Plover	1.14%
70. Killdeer	16.32%
71. Semipalmated Plover	1.21%
72. Piping Plover	0.0277%
73. Upland Sandpiper	0.0647%
74. Long-billed Curlew	0.0185%
75. Hudsonian Godwit	0.2682%
76. Marbled Godwit	0.6380%
77. Short-billed Dowitcher	0.4161%
78. Long-billed Dowitcher	2.52%
79. American Woodcock	0.0000%
80. Wilson's Snipe	2.19%
81. Wilson's Phalarope	0.9894%
82. Red Phalarope	0.0185%
83. Red-necked Phalarope	1.58%
84. Spotted Sandpiper	2.57%
85. Solitary Sandpiper	1.62%
86. Lesser Yellowlegs	6.26%

87. Willet	0.2497%
88. Greater Yellowlegs	8.44%
89. Ruddy Turnstone	0.1110%
90. Red Knot	0.0093%
91. Sharp-tailed Sandpiper	0.0000%
92. Stilt Sandpiper	2.30%
93. Buff-breasted Sandpiper	0.2959%
94. Sanderling	1.75%
95. Dunlin	0.0370%
96. Baird's Sandpiper	2.54%
97. White-rumped Sandpiper	0.0093%
98. Least Sandpiper	2.99%
99. Pectoral Sandpiper	2.86%
100. Western Sandpiper	0.0000%
101. Semipalmated Sandpiper	2.02%
102. Long-tailed Jaeger	0.0370%
103. Parasitic Jaeger	0.0093%
104. Little Gull	0.0185%
105. Sabine's Gull	0.6842%
106. Bonaparte's Gull	1.65%
107. Franklin's Gull	16.02%
108. Short-billed Gull	0.0000%
109. Ring-billed Gull	23.61%

110. Herring Gull	0.7952%
111. Lesser Black-backed Gull	0.1110%
112. California Gull	1.29%
113. Iceland Gull	0.0277%
114. Least Tern	0.0093%
115. Caspian Tern	0.4993%
116. Black Tern	1.02%
117. Forster's Tern	1.90%
118. Arctic Tern	0.0000%
119. Common Tern	0.4623%
120. Common Loon	0.6657%
121. Double-crested Cormorant	15.25%
122. American White Pelican	11.56%
123. American Bittern	0.5640%
124. Least Bittern	0.0000%
125. Yellow-crowned Night Heron	0.0370%
126. Black-crowned Night Heron	1.15%
127. Tricolored Heron	0.0000%
128. Snowy Egret	0.7212%
129. Green Heron	0.9709%
130. Western Cattle Egret	0.4346%
131. Great Egret	5.52%
132. Great Blue Heron	12.89%

133. Glossy Ibis	0.0093%
134. White-faced Ibis	2.53%
135. Turkey Vulture	10.74%
136. Osprey	1.71%
137. Golden Eagle	0.8229%
138. Northern Harrier	10.37%
139. Sharp-shinned Hawk	4.91%
140. Cooper's Hawk	7.01%
141. American Goshawk	0.0185%
142. Bald Eagle	8.38%
143. Red-shouldered Hawk	0.0093%
144. Broad-winged Hawk	3.79%
145. Swainson's Hawk	6.85%
146. Red-tailed Hawk	21.61%
147. Rough-legged Hawk	0.0093%
148. Ferruginous Hawk	0.7767%
149. Barn Owl	0.0832%
150. Eastern Screech-Owl	0.3236%
151. Snowy Owl	0.0000%
152. Great Horned Owl	2.04%
153. Northern Hawk Owl	0.0000%
154. Burrowing Owl	0.2404%
155. Barred Owl	0.0647%

156. Long-eared Owl	0.0462%
157. Short-eared Owl	0.0370%
158. Northern Saw-whet Owl	0.0277%
159. Belted Kingfisher	10.02%
160. Yellow-bellied Sapsucker	4.89%
161. Red-headed Woodpecker	2.08%
162. Red-bellied Woodpecker	2.07%
163. Downy Woodpecker	23.09%
164. Hairy Woodpecker	18.80%
165. Pileated Woodpecker	2.06%
166. Northern Flicker	39.38%
167. American Kestrel	4.85%
168. Merlin	5.28%
169. Gyrfalcon	0.0000%
170. Peregrine Falcon	1.41%
171. Prairie Falcon	0.8784%
172. Olive-sided Flycatcher	0.9524%
173. Western Wood-Pewee	0.2959%
174. Eastern Wood-Pewee	2.13%
175. Yellow-bellied Flycatcher	0.4993%
176. Acadian Flycatcher	0.0093%
177. Alder Flycatcher	0.4161%
178. Willow Flycatcher	0.1294%



179. Least Flycatcher	8.92%
180. Hammond's Flycatcher	0.0093%
181. Eastern Phoebe	4.20%
182. Say's Phoebe	2.71%
183. Great Crested Flycatcher	1.25%
184. Western Kingbird	1.01%
185. Eastern Kingbird	2.88%
186. Bell's Vireo	0.0093%
187. Yellow-throated Vireo	1.41%
188. Cassin's Vireo	0.0093%
189. Blue-headed Vireo	3.96%
190. Philadelphia Vireo	2.82%
191. Warbling Vireo	7.24%
192. Red-eyed Vireo	9.22%
193. Loggerhead Shrike	0.0832%
194. Northern Shrike	0.0185%
195. Blue Jay	28.76%
196. Black-billed Magpie	3.61%
197. American Crow	23.50%
198. Common Raven	1.91%
199. Black-capped Chickadee	37.13%
200. Horned Lark	3.22%
201. Bank Swallow	1.58%

202. Tree Swallow	3.37%
203. Purple Martin	0.5548%
204. Northern Rough-winged Swallow	0.0832%
205. Barn Swallow	22.16%
206. Cliff Swallow	0.9061%
207. Ruby-crowned Kinglet	14.23%
208. Golden-crowned Kinglet	0.4438%
209. White-breasted Nuthatch	29.36%
210. Red-breasted Nuthatch	14.28%
211. Brown Creeper	0.7674%
212. Blue-gray Gnatcatcher	0.0462%
213. Rock Wren	0.7305%
214. House Wren	13.69%
215. Winter Wren	0.3791%
216. Sedge Wren	0.7582%
217. Marsh Wren	3.31%
218. European Starling	13.51%
219. Gray Catbird	17.36%
220. Brown Thrasher	6.99%
221. Northern Mockingbird	0.0000%
222. Eastern Bluebird	2.72%
223. Mountain Bluebird	1.59%
224. Townsend's Solitaire	0.2219%

225. <b>Veery</b>	<b>0.0832%</b>
226. <b>Gray-cheeked Thrush</b>	<b>0.1849%</b>
227. <b>Swainson's Thrush</b>	<b>6.70%</b>
228. <b>Hermit Thrush</b>	<b>0.7397%</b>
229. <b>Wood Thrush</b>	<b>0.0185%</b>
230. <b>American Robin</b>	<b>45.08%</b>
231. <b>Cedar Waxwing</b>	<b>20.21%</b>
232. <b>House Sparrow</b>	<b>16.86%</b>
233. <b>American Pipit</b>	<b>1.98%</b>
234. <b>Sprague's Pipit</b>	<b>0.2127%</b>
235. <b>Evening Grosbeak</b>	<b>0.0277%</b>
236. <b>House Finch</b>	<b>16.53%</b>
237. <b>Purple Finch</b>	<b>3.48%</b>
238. <b>Red Crossbill</b>	<b>2.03%</b>
239. <b>White-winged Crossbill</b>	<b>0.0277%</b>
240. <b>Pine Siskin</b>	<b>6.84%</b>
241. <b>American Goldfinch</b>	<b>34.27%</b>
242. <b>Lapland Longspur</b>	<b>0.2312%</b>
243. <b>Chestnut-collared Longspur</b>	<b>0.5918%</b>
244. <b>Smith's Longspur</b>	<b>0.0740%</b>
245. <b>Grasshopper Sparrow</b>	<b>0.2034%</b>
246. <b>Chipping Sparrow</b>	<b>23.86%</b>
247. <b>Clay-colored Sparrow</b>	<b>10.05%</b>

248. <b>Field Sparrow</b>	<b>2.02%</b>
249. <b>Lark Sparrow</b>	<b>0.6288%</b>
250. <b>Lark Bunting</b>	<b>0.1387%</b>
251. <b>American Tree Sparrow</b>	<b>0.1572%</b>
252. <b>Fox Sparrow</b>	<b>1.08%</b>
253. <b>Dark-eyed Junco</b>	<b>8.02%</b>
254. <b>White-crowned Sparrow</b>	<b>6.19%</b>
255. <b>Harris's Sparrow</b>	<b>4.80%</b>
256. <b>White-throated Sparrow</b>	<b>17.05%</b>
257. <b>Vesper Sparrow</b>	<b>6.44%</b>
258. <b>LeConte's Sparrow</b>	<b>0.3976%</b>
259. <b>Nelson's Sparrow</b>	<b>0.1387%</b>
260. <b>Savannah Sparrow</b>	<b>7.37%</b>
261. <b>Baird's Sparrow</b>	<b>0.0093%</b>
262. <b>Song Sparrow</b>	<b>13.94%</b>
263. <b>Lincoln's Sparrow</b>	<b>11.26%</b>
264. <b>Swamp Sparrow</b>	<b>2.74%</b>
265. <b>Spotted Towhee</b>	<b>4.92%</b>
266. <b>Eastern Towhee</b>	<b>0.2127%</b>
267. <b>Yellow-breasted Chat</b>	<b>0.3051%</b>
268. <b>Yellow-headed Blackbird</b>	<b>2.73%</b>
269. <b>Bobolink</b>	<b>0.7952%</b>
270. <b>Western Meadowlark</b>	<b>10.16%</b>

271. Orchard Oriole	0.4438%
272. Bullock's Oriole	0.0093%
273. Baltimore Oriole	1.59%
274. Red-winged Blackbird	11.23%
275. Brown-headed Cowbird	0.4531%
276. Rusty Blackbird	0.2589%
277. Brewer's Blackbird	2.65%
278. Common Grackle	17.06%
279. Great-tailed Grackle	0.0093%
280. Ovenbird	5.10%
281. Northern Waterthrush	2.61%
282. Golden-winged Warbler	0.0370%
283. Blue-winged Warbler	0.0000%
284. Black-and-white Warbler	5.65%
285. Prothonotary Warbler	0.0093%
286. Tennessee Warbler	6.81%
287. Orange-crowned Warbler	18.48%
288. Nashville Warbler	5.95%
289. Connecticut Warbler	0.0185%
290. MacGillivray's Warbler	0.0185%
291. Mourning Warbler	1.35%
292. Common Yellowthroat	9.77%
293. American Redstart	8.14%

294. Cape May Warbler	0.3144%
295. Northern Parula	0.2404%
296. Magnolia Warbler	3.06%
297. Bay-breasted Warbler	1.66%
298. Blackburnian Warbler	0.7027%
299. Yellow Warbler	10.54%
300. Chestnut-sided Warbler	2.30%
301. Blackpoll Warbler	2.82%
302. Black-throated Blue Warbler	0.1757%
303. Palm Warbler	3.98%
304. Pine Warbler	0.0093%
305. Yellow-rumped Warbler	27.06%
306. Yellow-throated Warbler	0.0093%
307. Black-throated Gray Warbler	0.0000%
308. Townsend's Warbler	0.0647%
309. Black-throated Green Warbler	0.2497%
310. Canada Warbler	0.5733%
311. Wilson's Warbler	6.21%
312. Scarlet Tanager	0.2774%
313. Western Tanager	0.0093%
314. Northern Cardinal	2.72%
315. Rose-breasted Grosbeak	4.55%
316. Black-headed Grosbeak	0.0832%

317. <b>Blue Grosbeak</b>	<b>0.0185%</b>
318. <b>Lazuli Bunting</b>	<b>0.3606%</b>
319. <b>Indigo Bunting</b>	<b>0.8044%</b>
320. <b>Dickcissel</b>	<b>0.0740%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Mute Swan</b>	<b>0.0277%</b> frequency
<b>Helmeted Guineafowl</b>	<b>0.0000%</b>
<b>Golden Pheasant</b>	<b>0.0093%</b>
<b>Indian Peafowl</b>	<b>0.0000%</b>
<b>Chukar</b>	<b>0.0832%</b>
<b>Orange-cheeked Waxbill</b>	<b>0.0093%</b>
<b>HYBRIDS</b>	
<b>Snow x Ross's Goose (hybrid)</b>	<b>0.0093%</b> frequency
<b>Greater White-fronted x Canada Goose (hybrid)</b>	<b>0.0093%</b>
<b>Western x Clark's Grebe (hybrid)</b>	<b>0.0093%</b>
<b>Rose-breasted x Black-headed Grosbeak (hybrid)</b>	<b>0.0093%</b>
<b>Lazuli x Indigo Bunting (hybrid)</b>	<b>0.0093%</b>