



## Target Species

Based on 162,602 complete checklists

**411** species observed in North Dakota, US (region/US-ND) that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0086%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0012%</b>
3. <b>Snow Goose</b>	<b>3.07%</b>
4. <b>Ross's Goose</b>	<b>0.8050%</b>
5. <b>Greater White-fronted Goose</b>	<b>1.78%</b>
6. <b>Brant</b>	<b>0.0006%</b>
7. <b>Cackling Goose</b>	<b>2.18%</b>
8. <b>Canada Goose</b>	<b>31.30%</b>
9. <b>Trumpeter Swan</b>	<b>0.5793%</b>
10. <b>Tundra Swan</b>	<b>2.19%</b>
11. <b>Wood Duck</b>	<b>7.15%</b>
12. <b>Garganey</b>	<b>0.0000%</b>
13. <b>Blue-winged Teal</b>	<b>15.72%</b>
14. <b>Cinnamon Teal</b>	<b>0.0818%</b>
15. <b>Northern Shoveler</b>	<b>13.95%</b>
16. <b>Gadwall</b>	<b>13.20%</b>
17. <b>Eurasian Wigeon</b>	<b>0.0049%</b>
18. <b>American Wigeon</b>	<b>5.74%</b>

19. Mallard	31.09%
20. American Black Duck	0.1132%
21. Mottled Duck	0.0000%
22. Northern Pintail	10.60%
23. Green-winged Teal	6.26%
24. Canvasback	6.71%
25. Redhead	9.26%
26. Ring-necked Duck	4.79%
27. Greater Scaup	0.8678%
28. Lesser Scaup	8.43%
29. King Eider	0.0086%
30. Common Eider	0.0117%
31. Harlequin Duck	0.0012%
32. Surf Scoter	0.1402%
33. White-winged Scoter	0.1089%
34. Black Scoter	0.0523%
35. Long-tailed Duck	0.1248%
36. Bufflehead	4.85%
37. Common Goldeneye	3.38%
38. Barrow's Goldeneye	0.0074%
39. Hooded Merganser	4.71%
40. Common Merganser	2.30%
41. Red-breasted Merganser	0.5258%

42. Ruddy Duck	7.85%
43. Wild Turkey	3.05%
44. Ruffed Grouse	0.0843%
45. Greater Sage-Grouse	0.0191%
46. Sharp-tailed Grouse	3.59%
47. Greater Prairie-Chicken	0.1630%
48. Gray Partridge	2.20%
49. Ring-necked Pheasant	16.16%
50. Pied-billed Grebe	6.14%
51. Horned Grebe	1.52%
52. Red-necked Grebe	1.66%
53. Eared Grebe	5.36%
54. Western Grebe	5.05%
55. Clark's Grebe	0.3173%
56. Rock Pigeon	9.78%
57. Band-tailed Pigeon	0.0074%
58. Passenger Pigeon	0.0000%
59. Eurasian Collared-Dove	10.20%
60. Inca Dove	0.0000%
61. White-winged Dove	0.0061%
62. Mourning Dove	32.58%
63. Groove-billed Ani	0.0080%
64. Yellow-billed Cuckoo	0.0418%

65. <b>Black-billed Cuckoo</b>	<b>0.3038%</b>
66. <b>Common Nighthawk</b>	<b>2.28%</b>
67. <b>Common Poorwill</b>	<b>0.0904%</b>
68. <b>Eastern Whip-poor-will</b>	<b>0.0332%</b>
69. <b>Chimney Swift</b>	<b>2.43%</b>
70. <b>Ruby-throated Hummingbird</b>	<b>2.26%</b>
71. <b>Black-chinned Hummingbird</b>	<b>0.0061%</b>
72. <b>Anna's Hummingbird</b>	<b>0.0135%</b>
73. <b>Calliope Hummingbird</b>	<b>0.0104%</b>
74. <b>Rufous Hummingbird</b>	<b>0.0129%</b>
75. <b>Broad-tailed Hummingbird</b>	<b>0.0043%</b>
76. <b>King Rail</b>	<b>0.0000%</b>
77. <b>Virginia Rail</b>	<b>0.9348%</b>
78. <b>Sora</b>	<b>4.54%</b>
79. <b>Common Gallinule</b>	<b>0.0006%</b>
80. <b>American Coot</b>	<b>10.68%</b>
81. <b>Yellow Rail</b>	<b>0.1347%</b>
82. <b>Sandhill Crane</b>	<b>1.17%</b>
83. <b>Whooping Crane</b>	<b>0.0332%</b>
84. <b>Black-necked Stilt</b>	<b>0.1359%</b>
85. <b>American Avocet</b>	<b>4.71%</b>
86. <b>Black-bellied Plover</b>	<b>0.5344%</b>
87. <b>American Golden-Plover</b>	<b>0.3629%</b>

88. Killdeer	20.75%
89. Semipalmated Plover	1.04%
90. Piping Plover	0.4668%
91. Mountain Plover	0.0000%
92. Snowy Plover	0.0012%
93. Upland Sandpiper	3.94%
94. Whimbrel	0.0320%
95. Long-billed Curlew	0.1870%
96. Hudsonian Godwit	0.4539%
97. Marbled Godwit	4.24%
98. Short-billed Dowitcher	0.4963%
99. Long-billed Dowitcher	1.30%
100. American Woodcock	0.1316%
101. Wilson's Snipe	4.83%
102. Wilson's Phalarope	5.16%
103. Red Phalarope	0.0092%
104. Red-necked Phalarope	0.9520%
105. Spotted Sandpiper	4.49%
106. Solitary Sandpiper	1.15%
107. Lesser Yellowlegs	4.24%
108. Willet	4.20%
109. Greater Yellowlegs	3.60%
110. Ruddy Turnstone	0.3647%

111. Red Knot	0.0234%
112. Ruff	0.0061%
113. Sharp-tailed Sandpiper	0.0000%
114. Curlew Sandpiper	0.0006%
115. Stilt Sandpiper	1.42%
116. Buff-breasted Sandpiper	0.1328%
117. Sanderling	0.8198%
118. Dunlin	0.5018%
119. Baird's Sandpiper	1.70%
120. Little Stint	0.0000%
121. White-rumped Sandpiper	0.7909%
122. Least Sandpiper	2.29%
123. Pectoral Sandpiper	2.03%
124. Western Sandpiper	0.0025%
125. Semipalmated Sandpiper	2.05%
126. Long-tailed Jaeger	0.0068%
127. Parasitic Jaeger	0.0074%
128. Pomarine Jaeger	0.0000%
129. South Polar Skua	0.0000%
130. Little Gull	0.0080%
131. Ross's Gull	0.0000%
132. Black-legged Kittiwake	0.0258%
133. Sabine's Gull	0.0615%

134. Bonaparte's Gull	1.13%
135. Franklin's Gull	8.42%
136. Short-billed Gull	0.0437%
137. Ring-billed Gull	16.98%
138. Herring Gull	1.51%
139. Great Black-backed Gull	0.0184%
140. Glaucous Gull	0.1427%
141. Lesser Black-backed Gull	0.1851%
142. California Gull	2.09%
143. Glaucous-winged Gull	0.0000%
144. Iceland Gull	0.2669%
145. Least Tern	0.2091%
146. Caspian Tern	0.5006%
147. Black Tern	5.38%
148. Forster's Tern	3.42%
149. Arctic Tern	0.0012%
150. Common Tern	0.8573%
151. Red-throated Loon	0.0135%
152. Pacific Loon	0.0221%
153. Common Loon	0.7521%
154. Yellow-billed Loon	0.0074%
155. Double-crested Cormorant	10.58%
156. Neotropic Cormorant	0.0092%

157. American White Pelican	9.26%
158. American Bittern	1.51%
159. Least Bittern	0.0806%
160. Yellow-crowned Night Heron	0.0191%
161. Black-crowned Night Heron	1.80%
162. Little Blue Heron	0.0031%
163. Tricolored Heron	0.0037%
164. Snowy Egret	0.5135%
165. Green Heron	0.5006%
166. Western Cattle Egret	0.5430%
167. Great Egret	2.24%
168. Great Blue Heron	5.63%
169. White Ibis	0.0000%
170. Glossy Ibis	0.0541%
171. White-faced Ibis	1.89%
172. Turkey Vulture	5.76%
173. Osprey	0.4895%
174. Swallow-tailed Kite	0.0000%
175. Golden Eagle	0.9465%
176. Northern Harrier	8.92%
177. Sharp-shinned Hawk	1.34%
178. Cooper's Hawk	3.61%
179. American Goshawk	0.1648%



180. <b>Bald Eagle</b>	<b>7.49%</b>
181. <b>Red-shouldered Hawk</b>	<b>0.0135%</b>
182. <b>Broad-winged Hawk</b>	<b>1.24%</b>
183. <b>Swainson's Hawk</b>	<b>4.30%</b>
184. <b>Red-tailed Hawk</b>	<b>11.73%</b>
185. <b>Rough-legged Hawk</b>	<b>1.77%</b>
186. <b>Ferruginous Hawk</b>	<b>0.8186%</b>
187. <b>Barn Owl</b>	<b>0.0111%</b>
188. <b>Eastern Screech-Owl</b>	<b>0.1925%</b>
189. <b>Snowy Owl</b>	<b>0.7263%</b>
190. <b>Great Horned Owl</b>	<b>2.69%</b>
191. <b>Northern Hawk Owl</b>	<b>0.0258%</b>
192. <b>Burrowing Owl</b>	<b>0.3659%</b>
193. <b>Barred Owl</b>	<b>0.1900%</b>
194. <b>Great Gray Owl</b>	<b>0.0000%</b>
195. <b>Long-eared Owl</b>	<b>0.2072%</b>
196. <b>Short-eared Owl</b>	<b>0.4102%</b>
197. <b>Boreal Owl</b>	<b>0.0154%</b>
198. <b>Northern Saw-whet Owl</b>	<b>0.4674%</b>
199. <b>Belted Kingfisher</b>	<b>3.75%</b>
200. <b>Yellow-bellied Sapsucker</b>	<b>3.73%</b>
201. <b>Lewis's Woodpecker</b>	<b>0.0025%</b>
202. <b>Red-headed Woodpecker</b>	<b>1.26%</b>

203. Acorn Woodpecker	0.0000%
204. Red-bellied Woodpecker	3.14%
205. Black-backed Woodpecker	0.0098%
206. Downy Woodpecker	17.94%
207. Hairy Woodpecker	13.84%
208. Pileated Woodpecker	1.78%
209. Northern Flicker	14.97%
210. Crested Caracara	0.0000%
211. American Kestrel	3.91%
212. Merlin	2.64%
213. Gyrfalcon	0.0277%
214. Peregrine Falcon	0.5652%
215. Prairie Falcon	0.4582%
216. White-crested Elaenia	0.0006%
217. Olive-sided Flycatcher	0.5148%
218. Western Wood-Pewee	0.6667%
219. Eastern Wood-Pewee	2.47%
220. Yellow-bellied Flycatcher	0.3708%
221. Acadian Flycatcher	0.0025%
222. Alder Flycatcher	0.8573%
223. Willow Flycatcher	1.70%
224. Least Flycatcher	10.21%
225. Hammond's Flycatcher	0.0006%

226. Gray Flycatcher	0.0049%
227. Western Flycatcher	0.0018%
228. Eastern Phoebe	2.71%
229. Say's Phoebe	2.75%
230. Vermilion Flycatcher	0.0031%
231. Great Crested Flycatcher	2.11%
232. Cassin's Kingbird	0.0025%
233. Thick-billed Kingbird	0.0018%
234. Western Kingbird	8.94%
235. Eastern Kingbird	13.72%
236. Scissor-tailed Flycatcher	0.0006%
237. White-eyed Vireo	0.0086%
238. Bell's Vireo	0.0547%
239. Yellow-throated Vireo	1.45%
240. Cassin's Vireo	0.0012%
241. Blue-headed Vireo	0.8512%
242. Plumbeous Vireo	0.0018%
243. Philadelphia Vireo	0.7220%
244. Warbling Vireo	5.67%
245. Red-eyed Vireo	5.89%
246. Loggerhead Shrike	0.9010%
247. Northern Shrike	1.04%
248. Canada Jay	0.0018%

249. Pinyon Jay	0.0006%
250. Blue Jay	15.33%
251. Black-billed Magpie	4.57%
252. Clark's Nutcracker	0.0031%
253. American Crow	21.17%
254. Common Raven	2.08%
255. Black-capped Chickadee	27.31%
256. Boreal Chickadee	0.0018%
257. Horned Lark	10.64%
258. Bank Swallow	4.36%
259. Tree Swallow	10.82%
260. Violet-green Swallow	0.2146%
261. Purple Martin	3.36%
262. Northern Rough-winged Swallow	2.14%
263. Barn Swallow	16.16%
264. Cliff Swallow	7.11%
265. Ruby-crowned Kinglet	4.38%
266. Golden-crowned Kinglet	1.22%
267. White-breasted Nuthatch	20.02%
268. Pygmy Nuthatch	0.0000%
269. Red-breasted Nuthatch	7.48%
270. Brown Creeper	1.52%
271. Blue-gray Gnatcatcher	0.0658%

272. Rock Wren	0.7239%
273. Canyon Wren	0.0006%
274. House Wren	12.03%
275. Winter Wren	0.1943%
276. Sedge Wren	2.76%
277. Marsh Wren	5.04%
278. Carolina Wren	0.0012%
279. Bewick's Wren	0.0000%
280. European Starling	14.50%
281. Gray Catbird	8.66%
282. Brown Thrasher	5.29%
283. Sage Thrasher	0.0000%
284. Northern Mockingbird	0.0424%
285. Eastern Bluebird	2.12%
286. Mountain Bluebird	1.27%
287. Townsend's Solitaire	0.5246%
288. Varied Thrush	0.0843%
289. Veery	0.7552%
290. Gray-cheeked Thrush	0.8505%
291. Swainson's Thrush	4.37%
292. Hermit Thrush	1.28%
293. Wood Thrush	0.0369%
294. American Robin	39.21%

295. Northern Wheatear	0.0000%
296. Bohemian Waxwing	0.3973%
297. Cedar Waxwing	11.09%
298. House Sparrow	23.29%
299. Eurasian Tree Sparrow	0.0400%
300. American Pipit	0.7368%
301. Sprague's Pipit	0.7515%
302. Brambling	0.0037%
303. Evening Grosbeak	0.0676%
304. Pine Grosbeak	0.1704%
305. Gray-crowned Rosy-Finch	0.0117%
306. House Finch	15.44%
307. Purple Finch	2.38%
308. Cassin's Finch	0.0609%
309. Common Redpoll	3.47%
310. Hoary Redpoll	0.3383%
311. Red Crossbill	1.02%
312. White-winged Crossbill	0.4280%
313. Pine Siskin	7.99%
314. Lesser Goldfinch	0.0000%
315. American Goldfinch	23.13%
316. Lapland Longspur	1.27%
317. Chestnut-collared Longspur	2.53%

318. <b>Smith's Longspur</b>	<b>0.0806%</b>
319. <b>Thick-billed Longspur</b>	<b>0.0264%</b>
320. <b>Snow Bunting</b>	<b>1.09%</b>
321. <b>Grasshopper Sparrow</b>	<b>5.04%</b>
322. <b>Chipping Sparrow</b>	<b>17.80%</b>
323. <b>Clay-colored Sparrow</b>	<b>12.28%</b>
324. <b>Field Sparrow</b>	<b>3.31%</b>
325. <b>Brewer's Sparrow</b>	<b>0.0701%</b>
326. <b>Black-throated Sparrow</b>	<b>0.0031%</b>
327. <b>Lark Sparrow</b>	<b>4.40%</b>
328. <b>Lark Bunting</b>	<b>1.47%</b>
329. <b>American Tree Sparrow</b>	<b>2.96%</b>
330. <b>Fox Sparrow</b>	<b>1.61%</b>
331. <b>Dark-eyed Junco</b>	<b>13.55%</b>
332. <b>White-crowned Sparrow</b>	<b>3.30%</b>
333. <b>Golden-crowned Sparrow</b>	<b>0.0092%</b>
334. <b>Harris's Sparrow</b>	<b>3.58%</b>
335. <b>White-throated Sparrow</b>	<b>6.86%</b>
336. <b>Vesper Sparrow</b>	<b>7.09%</b>
337. <b>LeConte's Sparrow</b>	<b>0.9176%</b>
338. <b>Nelson's Sparrow</b>	<b>0.9865%</b>
339. <b>Savannah Sparrow</b>	<b>8.03%</b>
340. <b>Baird's Sparrow</b>	<b>1.03%</b>

341. Henslow's Sparrow	0.0344%
342. Song Sparrow	18.38%
343. Lincoln's Sparrow	3.06%
344. Swamp Sparrow	1.66%
345. Green-tailed Towhee	0.0012%
346. Spotted Towhee	4.38%
347. Eastern Towhee	0.2122%
348. Yellow-breasted Chat	1.78%
349. Yellow-headed Blackbird	10.96%
350. Bobolink	7.17%
351. Western Meadowlark	21.30%
352. Eastern Meadowlark	0.0141%
353. Orchard Oriole	4.74%
354. Bullock's Oriole	0.2374%
355. Baltimore Oriole	5.88%
356. Red-winged Blackbird	31.89%
357. Brown-headed Cowbird	17.14%
358. Rusty Blackbird	0.7251%
359. Brewer's Blackbird	5.18%
360. Common Grackle	28.31%
361. Great-tailed Grackle	0.0031%
362. Ovenbird	2.36%
363. Worm-eating Warbler	0.0080%



364.	Louisiana Waterthrush	0.0000%
365.	Northern Waterthrush	1.87%
366.	Golden-winged Warbler	0.0701%
367.	Blue-winged Warbler	0.0135%
368.	Black-and-white Warbler	3.42%
369.	Prothonotary Warbler	0.0018%
370.	Tennessee Warbler	3.20%
371.	Orange-crowned Warbler	4.52%
372.	Nashville Warbler	1.37%
373.	Connecticut Warbler	0.1175%
374.	MacGillivray's Warbler	0.0055%
375.	Mourning Warbler	0.7503%
376.	Kentucky Warbler	0.0006%
377.	Common Yellowthroat	10.22%
378.	Hooded Warbler	0.0061%
379.	American Redstart	5.66%
380.	Cape May Warbler	0.3825%
381.	Cerulean Warbler	0.0006%
382.	Northern Parula	0.0978%
383.	Magnolia Warbler	1.47%
384.	Bay-breasted Warbler	0.3911%
385.	Blackburnian Warbler	0.4151%
386.	Yellow Warbler	16.81%

387. Chestnut-sided Warbler	0.9871%
388. Blackpoll Warbler	1.91%
389. Black-throated Blue Warbler	0.0424%
390. Palm Warbler	1.45%
391. Pine Warbler	0.0191%
392. Yellow-rumped Warbler	8.30%
393. Yellow-throated Warbler	0.0012%
394. Prairie Warbler	0.0012%
395. Black-throated Gray Warbler	0.0031%
396. Townsend's Warbler	0.0104%
397. Black-throated Green Warbler	0.1808%
398. Canada Warbler	0.5191%
399. Wilson's Warbler	1.36%
400. Painted Redstart	0.0000%
401. Summer Tanager	0.0597%
402. Scarlet Tanager	0.2977%
403. Western Tanager	0.0400%
404. Northern Cardinal	3.27%
405. Rose-breasted Grosbeak	3.79%
406. Black-headed Grosbeak	1.35%
407. Blue Grosbeak	0.1181%
408. Lazuli Bunting	2.37%
409. Indigo Bunting	0.9545%

410. Painted Bunting	0.0123%
411. Dickcissel	1.24%
<b>EXOTIC: ESCAPEE</b>	
Graylag Goose	0.0000% frequency
Mute Swan	0.0111%
Ruddy Shelduck	0.0000%
Muscovy Duck	0.0012%
Mandarin Duck	0.0006%
Helmeted Guineafowl	0.0018%
Northern Bobwhite	0.0055%
California Quail	0.0018%
Golden Pheasant	0.0006%
Indian Peafowl	0.0025%
Red Junglefowl	0.0000%
Chukar	0.0566%
African Collared-Dove	0.0012%
Budgerigar	0.0037%
Orange-cheeked Waxbill	0.0006%
Red-cheeked Cordonbleu	0.0000%
<b>HYBRIDS</b>	
Snow x Ross's Goose (hybrid)	0.0037% frequency
Snow x Greater White-fronted Goose (hybrid)	0.0006%

Ross's x Cackling Goose (hybrid)	<b>0.0006%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0012%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0000%</b>
Snow x Canada Goose (hybrid)	<b>0.0025%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0061%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0006%</b>
Gadwall x Mallard (hybrid)	<b>0.0025%</b>
Mallard x American Black Duck (hybrid)	<b>0.0092%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0006%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0006%</b>
Tufted Duck x Lesser Scaup (hybrid)	<b>0.0018%</b>
Tufted Duck x scaup sp. (hybrid)	<b>0.0018%</b>
Common x Barrow's Goldeneye (hybrid)	<b>0.0012%</b>
Common Goldeneye x Hooded Merganser (hybrid)	<b>0.0018%</b>
Greater Sage-Grouse x Sharp-tailed Grouse (hybrid)	<b>0.0006%</b>
Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	<b>0.0043%</b>
Western x Clark's Grebe (hybrid)	<b>0.0160%</b>
Herring x Glaucous Gull (hybrid)	<b>0.0012%</b>
Herring x Glaucous-winged Gull (hybrid)	<b>0.0012%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0006%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0135%</b>

Western x Eastern Meadowlark (hybrid)	<b>0.0006%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0111%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0018%</b>
Brewster's Warbler (hybrid)	<b>0.0006%</b>
Lawrence's Warbler (hybrid)	<b>0.0012%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0166%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0271%</b>